

Article No.	Description	Recommended Retail Price EUR including statutory VAT.
2175	<p>Holder for breakaway cable Holder for the breakaway cable, used to fasten the breakaway cable while driving with a trailer.</p>	EUR 25,50
A022600	<p>bike carrier Strada DL 2 for two bicycles, mounting on towel bar. Illuminatiing system integrated, Payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval. Expandable to carry four bykes with item A022610. Accessories for tire widths larger than 2.4 inches: - 300 mm locking tape set up to 3.0 inch tire width (4 pieces, item A022730). - 350 mm locking tape set up to 4.0 inch tire width (4 pieces, with steel insert, item A022735). Detachable locking straps on all current Strada models (Standard equipment with 250 mm locking band length for tire widths up to 2.4 inches). Transport of up to 2 light e-bikes up to a maximum of 23.5 kg per bike rail (please note the permissible total load of 47 kg for model DL 2) NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars! Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar. More details of the rear bike carrier Strada DL2:</p>	EUR 624,75
A022601	<p>bike carrier Strada DL 3 for three bicycles, mounting on towel bar. Illuminatiing system integrated, maximum payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval. Expandable to carry four bikes with item A022611 (therefor separate anchoring necessary). Accessories for tire widths larger than 2.4 inches: - 300 mm locking tape set up to 3.0 inch tire width (4 pieces, item A022730). - 350 mm locking tape set up to 4.0 inch tire width (4 pieces, with steel insert, item A022735). Detachable locking straps on all current Strada models (Standard equipment with 250 mm locking band length for tire widths up to 2.4 inches). Transport of up to 2 light e-bikes up to a maximum of 23.5 kg per bike rail (please note the permissible total load of 45 kg for model DL 3) NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars! Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar. Details of the rear bike carrier Strada DL3:</p>	EUR 748,51
A022610	<p>add-on set rack for 3rd bike with spacer, for rear bike carrier Strada Sport M 2 and Strada DL 2. Maximum payload 45 kg*. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p>	EUR 128,52
A022611	<p>add-on set for 4th bicycle, for bicycle-carrier Strada DL.3. Maximum payload 63 kg*. Only allowed when fourth bicycle is anchored separately! * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p>	EUR 177,31
A022624	<p>add-on set rack for 4th bike with spacer, for bicycle-carrier Strada Sport M 3, maximum payload 68 kg*. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p>	EUR 128,52
A022635	<p>Drive-up rail Rear bike carrier Loading aid for Strada Sport, Stada E-Bike M / ML and Strada DL bicycle tow bar carriers, Matt anodized aluminium / PPT</p>	EUR 54,74
A022684	<p>bike carrier Strada Sport M 2 for two bicycles, mounting on towel bar. Illuminatiing system integrated, maximum payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval. Expandable to carry four bykes with item A022610. NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars! Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch</p>	EUR 529,55

Article No.	Description	Recommended Retail Price EUR including statutory VAT.
A022685	<p>used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p> <p>Details of rear bike carrier Strada Sport M3:</p> <p>bike carrier Strada Sport M 3</p> <p>for three bicycles, mounting on towel bar. Illuminatiing system integrated, Payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval.Expandable to carry four bikes with item A022624.</p> <p>NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars!</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p> <p>Details of rear bike carrier Strada Sport M3:</p>	EUR 624,75
A022686	<p>bike carrier Strada eBike M</p> <p>Foldable carrier for two e-bikes, mounting on tow-bar, lighting system with light protection, extra long gaps from bike to bike, maximum payload 60 kg*, frame diameters from 25 to 80 mm, tyre width 18 - 29 inches, weight 14 kg, dimensions in mm 1.000 x 590 x 200 (folded frame), EC operating permit.</p> <p>NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars!</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p>	EUR 565,25
A022696	<p>Bike carrier Strada eBike ML</p> <p>Foldable carrier for two e-bikes, mounting on tow-bar, lighting system with light protection, extra long gaps from bike to bike, maximum payload 60 kg*, frame diameters from 25 to 80 mm, tyre width 18 - 29 inches, weight 15, 5 kg, dimensions in mm 1.200 x 590 x 200 (folded frame), EC operating permit.</p> <p>NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars!</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p>	EUR 593,81
A022750	<p>bike carrier Strada Vario 2</p> <p>ultimativ fold carrier for two bikes or e-bikes, mounting on towel bar. Illuminatiing system integrated, maximum payload 60 kg*, for border diameter from 25 to 80 mm, tyre dimension 18-29 inches, weight 16, 9 kg, dimensions in mm 1.140 x 600 x 740, stow dimension in mm 635 x 395 x 630, EU type approval**</p> <p>NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars!</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p> <p>** Vertical load of the tow bar when loaded with two bikes must be at least 50 kg.</p> <p>Details of rear bike carrier Strada Vario2:</p>	EUR 815,15
A022751	<p>bike carrier Strada Vario 3</p> <p>ultimativ fold carrier for two bikes or e-bikes, mounting on towel bar. Illuminatiing system integrated, Payload 66 kg, for border diameter from 25 to 80 mm, tyre dimension 18-29 inches, weight 19, 9 kg, dimensions in mm 1.140 x 730 x 690, stow dimension in mm 635 x 470 x 730, EC type approval</p> <p>NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars!</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking</p>	EUR 950,81

Article No.	Description	Recommended Retail Price EUR including statutory VAT.
	<p>systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p> <p>**Vertical load of the tow bar when loaded with three bikes must be at least 60 kg.</p> <p>Details of rear bike carrier Strada Vario3:</p>	
A082227	<p>Bike carrier Giro AF+</p> <p>for roof bar, matt anodized aluminium, bikes from 20 to 29 wheel size, for all regular tyre sizes, including 3.0" wide Plus-Tyres, automatic holding function, theft protection for bike and carrier, holds round frames from 22 to 80 mm and oval frams up to 100 x 80 mm, for steel cross bars, 32 x 22 mm, maximum bike weight 17 kg. City Crash certified. Not suitable for e-Bikes. Roof bar as well as bike are not included in scope of delivery.</p>	EUR 165,41
A082291	<p>Roof box CASAR M Lava Structured</p> <p>Attractive roof box in lava-structured, material: ABS / ASA, lid opening on right side, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, Master Fit fast-mounting, central locking. Dimensions L / W / H 177 x 77 x 42 cm, volume 380 L, empty weight 14.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is aa universal item and not a vehicle specific product.</p>	EUR 474,81
A082292	<p>Roof box CASAR L Brilliant Black</p> <p>Attractive roof box in Brilliant Black, material: ABS / PMMA, lid opening on both sides, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 191 x 81 x 42 cm, volume 420 L, empty weight 17.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty.</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p> <p>- Symbolic illustration</p>	EUR 665,21
A082293	<p>Roof box CASAR L Lava Structured</p> <p>Attractive roof box in Lava Structured, material: ABS / ASA, lid opening on both sides, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 191 x 81 x 42 cm, volume 420 L, empty weight 17.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p> <p>- Symbolic illustration</p>	EUR 581,91
A082294	<p>Roof box CASAR XL Brilliant Black</p> <p>Attractive roof box in Brilliant Black, material: ABS / PMMA, lid opening on both sides, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 215 x 90 x 43 cm, volume 540 L, empty weight 20.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty.</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p>	EUR 760,41
A082295	<p>Roof box CASAR XL Lava Structured</p> <p>Attractive roof box in Lava Structured, material: ABS / ASA, lid opening on both sides, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 215 x 90 x 43 cm, volume 540 L, empty weight 20.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty.</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p>	EUR 653,31
A082704	<p>ski carrier NOVA 4</p> <p>Ski and snowboard carrier attachment, set for 4 pairs of skis or 1 snowboard and 1 pair of skis, lockable dirt catch protects against dust and dirt.</p> <p>Total width approx. 570 mm, loading area approx. 400 mm, depth of rubber pad approx. 60 mm. Some bindings on boards or skis require greater distances to the vehicle roof. In the Nova basic equipment, the adapters are included.</p> <p>This carrier attachment is suitable for square support tube 32 x 22 mm or aluminum profiles and is not to be used with the original railing of the vehicle manufacturer.</p>	EUR 192,78

Article No.	Description	Recommended Retail Price EUR including statutory VAT.
A082706	<p>ski carrier NOVA 6 Ski and snowboard carrier attachment, set for 6 pairs of skis or 2 snowboard and 1 pair of skis, lockable dirt catch protects against dust and dirt. Total width approx. 780 mm, loading area approx. 610 mm, depth of rubber pad approx. 60 mm. Some bindings on boards or skis require greater distances to the vehicle roof. In the Nova basic equipment, the adapters are included. This carrier attachment is suitable for square support tube 32 x 22 mm or aluminum profiles and is not to be used with the original railing of the vehicle manufacturer.</p>	EUR 232,05
A089048	<p>surf kit for roof bar Rubber bonded, powder-coated, steel, simple mounting, set for transport of one surfboard consisting of four metall brackets, two straps each 2, 50 m and two mast holders, roof luggage rack not included in delivery. This extension is not to use in combination with the original rail racks of the car manufacturer. Mounting only on square bars 32 x 32 mm.</p>	EUR 142,09
CA02144	<p>window deflectors rear, left and right, set, incl. vehicle operating permit, incl. vehicle operating permit ADVICE: illustration similarly</p>	EUR 47,59
CB05200	<p>Multi mat Loading sill protection and boot mat, Velcro snaps for attachment to the carpet. Dimension approx. 80 x 60 cm. This mat is a universal item and not a vehicle specific product.</p>	EUR 25,99
IP00645	<p>Park distance control system front or tail Parking system for front or rear with 4 radio-controlled sensors and multifunction display. Individual programming conveniently from the driver's seat. It is not necessary to lay cables inside the vehicle. The sensors can be painted, assembly is easy. This article is not expandable, even the version with eight sensors!</p>	EUR 259,00
IP00645FH	<p>Park distance control system front and tail Parking system for front or rear with 8 radio-controlled sensors and multifunction display. Individual programming conveniently from the driver's seat. It is not necessary to lay cables inside the vehicle. The sensors can be painted, assembly is easy.</p>	EUR 439,90
KL02660	<p>dog ramp Dog ladder, innovative ramp loader, tripple telescopic, high grade mix of alloy and plastic. "SuperGrip" on running surface for safe step. The ramp is infinitely adjustable. Angled surface area with foamed cushion. Inkl. fixation belt for stowage if not in use. Makes it easier to get in and off nearly every car. Load capacity up to 85 kg when shared by 4 pads, steplessly variable from 73 to 163 cm, width 41 cm, stow dimension (W x L x H in cm) approx. 41 x 73 x 12, weight approx. 5, 5 kg.</p>	EUR 197,00
KL04285	<p>Dog Ramp XL Dog ladder in XL, innovative ramp loader, tripple telescopic, high grade mix of alloy and plastic. "SuperGrip" on running surface for safe step. The ramp is infinitely adjustable. Angled surface area with foamed cushion. Inkl. fixation belt for stowage if not in use. Makes it easier to get in and off nearly every car. Load capacity up to 85 kg when shared by 4 pads, steplessly variable from 83 to 183 cm, width 41 cm, stow dimension (W x L x H in cm) approx. 41 x 83 x 12, weight approx. 7, 6 kg.</p>	EUR 223,00
KL04846	<p>Carlok Deluxe Anti-theft device made of hardened steel with square safety key in the color silver. Please note: This anti-theft device / steering wheel claw is a universal item, so not vehicle-specific. It is not suitable for vehicles with a steering wheel thickness of more than 34 mm. In addition, the article cannot be used for VW T5 / T6 and minibuses!</p>	EUR 59,80
NL00242	<p>seat heater Seat heating, universal for back and seat areas, inclusive electrical kit and round switches with two stages. Due to carbon technic easy to fit to the surfaces. NOTE: Only for cars without glued seat surfaces!</p>	EUR 99,00
PE01807	<p>bumper strips plastics PUR, edition rounded-rounded, for front and rear. Mounting via adhesive, dimensions L/W/H in mm: 355/49/11. Included in delivery: strip set consisting of 2 pieces with double-faced adhesive tape and mounting instruction. Universal item, not vehicle specific!</p>	EUR 19,90
VM01542E	<p>parking sensor for front with four sensors each 18 mm, LED bar display, acustic signal and additional cutout switch</p>	EUR 119,00
VM03122	<p>Side Mouldings plastics, black, self-adhesive, set consisting of four strips</p>	EUR 49,90
VM03571	<p>Park distance control system front or tail with four ultrasonic sensors, applicable for front or rear, adjustable sensitivity of sensors, acoustic signal, shipment includes control unit, buzzer and wiring. For for vehicles with 12V DC only</p>	EUR 89,00
VM05801	<p>coat hanger Flexible clothes hanger with docking unit in OEM quality. Easy installation of the docking unit with three screws on the headrest holder. The system is suitable for transporting jackets, jackets, suits, coats, trousers and skirts, even in a garment bag. The hanger can be inserted and removed with one hand. The hanger can</p>	EUR 51,65

Article No.	Description	Recommended Retail Price EUR including statutory VAT.
VM05802	<p>be removed from the car with the clothing and used in the hotel room, for example. Maximum load 3 kg. Made from metal and plastic.</p> <p>Please note: This is a universal item and not a vehicle-specific car hanger. The distance between the holders for the headrest must not exceed 190 mm, the tube diameter must be between 10 and 16 mm.</p> <p>21, 78</p> <p>Car basket</p> <p>Smart car basket for shopping and outdoor activities, made from 94% recycled material, foldable handle, easy to clean and disinfect, Drop & Go - no installation required, free positioning of the fastening adapter, non-slip on surfaces such as carpets or trunk tubs.</p> <p>Dimensions in cm: approx. 46.1 x 31.7 x 32.4, maximum load 12 kg, volume 21 L</p>	EUR 54,74
VMRBP218	<p>Rear Bumper Paint Protector</p> <p>Manufactured in ABS plastic, black, C.N.C. trimmed to ensure a perfect fit. Secured in position with 3M self-adhesive tape. Many models pick up on existing bolts or self-tapping screws. Quick and easy to fit. Full diagramatic fitting instructions are supplied</p>	EUR 73,92

All prices in EUR including VAT. Delivery is ex works, excluding shipping costs. Errors, omissions and intermediate sale without notice.
For all goods and services shall apply our currently valid general terms and conditions.

Updated: 20.5.2022

Article No. **Description**

Recommended Retail Price
EUR including statutory VAT.