

Article No.	Description	Recommended Retail Price
		EUR incl. 19% VAT.
2175	Holder for breakaway cable Holder for the breakaway cable, used to fasten the breakaway cable while driving with a trailer.	EUR 24,89
505	cable kit add on electricity scope of delivery: 1 line section ready configured, 1 fuse holder with red line, 1 fuse holder with yellow line, 1 boot for 10 mm drill, 1 connector (three poles), 3 flat plugs, 6, 3 x 0, 8, 6 cable straps, 2 blade-type electric fuses 15 A	EUR 34,39
505/2	cable kit add on electricity and ground at Pol 10 and 11 of the trailer plug socket ADVICE: Suitable as enhancement for electric installation kit VM03153	EUR 47,80
A022600	bike carrier Strada DL 2 for two bicycles, mounting on towel bar. Illuminatiing system integrated, Payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval. Expandable to carry four bykes with item A022610. Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.	EUR 419,00
A022601	bike carrier Strada DL 3 for three bicycles, mounting on towel bar. Illuminatiing system integrated, maximum payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval. Expandable to carry four bikes with item A022611 (therefor separate anchoring necessary). Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.	EUR 518,99
A022610	add-on set rack for 3rd bike with spacer, for rear bike carrier Strada Sport M 2 and Strada DL 2. Maximum payload 45 kg*. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.	EUR 92,82
A022611	add-on set for 4th bicycle, for bicycle-carrier Strada DL.3. Maximum payload 63 kg*. Only allowed when fourth bicycle is anchored separately! * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.	EUR 129,71
A022624	add-on set rack for 4th bike with spacer, for bicycle-carrier Strada Sport M 3, maximum payload 68 kg*. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.	EUR 92,82
A022635	DRIVE-UP RAIL Loading aid for Strada Sport, E-Bike and DL bicycle tow bar carriers, Matt anodized aluminium / PPT	EUR 42,84
A022684	bike carrier Strada Sport M 2 for two bicycles, mounting on towel bar. Illuminatiing system integrated, maximum payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval. Expandable to carry four bykes with item A022610. Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.	EUR 354,72
A022685	bike carrier Strada Sport M 3 for three bicycles, mounting on towel bar. Illuminatiing system integrated, Payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval. Expandable to carry four bikes with item A022624. Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.	EUR 390,00

Article No.	Description	Recommended Retail Price EUR incl. 19% VAT.
A022686	<p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar. Details of rear bike carrier Strada Sport M3: bike carrier Strada eBike M Foldable carrier for two e-bikes, mounting on tow-bar, lighting system with light protection, extra long gaps from bike to bike, maximum payload 60 kg*, frame diameters from 25 to 80 mm, tyre width 18 - 29 inches, weight 14 kg, dimensions in mm 1.000 x 590 x 200 (folded frame), EC operating permit. Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p>	EUR 409,00
A022696	<p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar. Bike carrier Strada eBike ML Foldable carrier for two e-bikes, mounting on tow-bar, lighting system with light protection, extra long gaps from bike to bike, maximum payload 60 kg*, frame diameters from 25 to 80 mm, tyre width 18 - 29 inches, weight 15, 5 kg, dimensions in mm 1.200 x 590 x 200 (folded frame), EC operating permit. Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p>	EUR 429,99
A022750	<p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar. bike carrier Strada Vario 2 ultimativ fold carrier for two bikes or e-bikes, mounting on towel bar. Illuminatiing system integrated, maximum payload 60 kg*, for border diameter from 25 to 80 mm, tyre dimension 18-29 inches, weight 16, 9 kg, dimensions in mm 1.140 x 600 x 740, stow dimension in mm 635 x 395 x 630, EU type approval** Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p>	EUR 548,99
A022751	<p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar. ** Vertical load of the tow bar when loaded with two bikes must be at least 50 kg. Details of rear bike carrier Strada Vario2: bike carrier Strada Vario 3 ultimativ fold carrier for two bikes or e-bikes, mounting on towel bar. Illuminatiing system integrated, Payload 66 kg, for border diameter from 25 to 80 mm, tyre dimension 18-29 inches, weight 19, 9 kg, dimensions in mm 1.140 x 730 x 690, stow dimension in mm 635 x 470 x 730, EC type approval Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p>	EUR 649,00
A082227	<p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar. **Vertical load of the tow bar when loaded with three bikes must be at least 60 kg. Details of rear bike carrier Strada Vario3: Bike carrier Giro AF+ for roof bar, matt anodized aluminium, bikes from 20 to 29 wheel size, for all regular tyre sizes, including 3.0" wide Plus-Tyres, automatic holding function, theft protection for bike and carrier, holds round frames from 22 to 80 mm and oval frams up to 100 x 80 mm, for steel cross bars. 32 x 22 mm, maximum bike weight 17 kg. City Crash certified. Not suitable for e-Bikes. Roof bar as well as bike are not included in scope of delivery.</p>	EUR 119,00
A082291	<p>Roof box CASAR M Lava Structured Attractive roof box in lava-structured, material: ABS / ASA, lid opening on right side, optimized values for aerodynamics. Open + Close Assist - lifting / lowering mechanism. Central locking system, Master Fit fast-mounting, central locking. Dimensions L / W / H 177 x 77 x 42 cm, volume 380 L, empty weight 14.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is aa universal item and not a vehicle specific product.</p>	EUR 369,00
A082292	<p>Roof box CASAR L Brilliant Black Attractive roof box in Brilliant Black, material: ABS / PMMA, lid opening on both sides, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 191 x 81 x 42 cm, volume 420 L, empty weight 17.5 kg, max.</p>	EUR 499,00

Article No.	Description	Recommended Retail Price
		EUR incl. 19% VAT.
A082293	<p>Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty.</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p> <p>- Symbolic illustration</p> <p>Roof box CASAR L Lava Structured</p> <p>Attractive roof box in Lava Structured, material: ABS / ASA, lid opening on both sides, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 191 x 81 x 42 cm, volume 420 L, empty weight 17.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p> <p>- Symbolic illustration</p>	EUR 469,00
A082294	<p>Roof box CASAR XL Brilliant Black</p> <p>Attractive roof box in Brilliant Black, material: ABS / PMMA, lid opening on both sides, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 215 x 90 x 43 cm, volume 540 L, empty weight 20.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty.</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p>	EUR 574,16
A082295	<p>Roof box CASAR XL Lava Structured</p> <p>Attractive roof box in Lava Structured, material: ABS / ASA, lid opening on both sides, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 215 x 90 x 43 cm, volume 540 L, empty weight 20.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty.</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p>	EUR 490,49
A082704	<p>ski carrier NOVA 4</p> <p>Ski and snowboard carrier attachment, set for 4 pairs of skis or 1 snowboard and 1 pair of skis, lockable dirt catch protects against dust and dirt.</p> <p>Total width approx. 570 mm, loading area approx. 400 mm, depth of rubber pad approx. 60 mm. Some bindings on boards or skis require greater distances to the vehicle roof. In the Nova basic equipment, the adapters are included.</p> <p>This carrier attachment is suitable for square support tube 32 x 22 mm or aluminum profiles and is not to be used with the original railing of the vehicle manufacturer.</p>	EUR 139,00
A082706	<p>ski carrier NOVA 6</p> <p>Ski and snowboard carrier attachment, set for 6 pairs of skis or 2 snowboard and 1 pair of skis, lockable dirt catch protects against dust and dirt.</p> <p>Total width approx. 780 mm, loading area approx. 610 mm, depth of rubber pad approx. 60 mm. Some bindings on boards or skis require greater distances to the vehicle roof. In the Nova basic equipment, the adapters are included.</p> <p>This carrier attachment is suitable for square support tube 32 x 22 mm or aluminum profiles and is not to be used with the original railing of the vehicle manufacturer.</p>	EUR 168,99
A089048	<p>surf kit for roof bar</p> <p>Rubber bonded, powder-coated, steel, simple mounting, set for transport of one surfboard consisting of four metall brackets, two straps each 2, 50 m and two mast holders, roof luggage rack not included in delivery. This extension is not to use in combination with the original rail racks of the car manufacturer. Mounting only on square bars 32 x 32 mm.</p>	EUR 103,53
ADSET15	<p>Set Dog Guard and Trunkliner</p>	EUR 265,00
Adset17	<p>track widenings</p> <p>ADVICE: Following the Component Test report the wheel bolts for summit rims without channels must be shortened, front 5-6 mm, rear 1-2 mm. Not for SRT8</p>	EUR 275,00
ADSET50	<p>Set footwell shells + trunkliner</p> <p>ADVICE: For vehicles since MY 2014</p>	EUR 88,20
ADSET56	<p>Set Metal grade and divider</p> <p>NOTE: Dog Guard and divider for JEEP Grand Cherokee WK. Not to use in combination with Carbox CB02887.</p>	EUR 299,24
AL02831	<p>Alloy rims Design Dezent TE</p> <p>8 x 18", offset 45 mm, pitch circle 5/127 mm, mid hole 71, 6 mm, silver, price per rim w/o tyre, incl. Component Test Report.</p> <p>Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting</p>	EUR 189,00

Article No.	Description	Recommended Retail Price EUR incl. 19% VAT.
AN02472	<p>approval through inspection authority is obligatory and may may result in additional expenses. ADVICE: For tyre dimensions 255/60R18 und 265/60R18</p> <p>Clamp lamp brackets 42 mm clamplamp holders, stainless steel, for front guard, 42 mm tube, set consisting of two holders. ADVICE: Only to use for tube diameter of 42 mm</p>	EUR 26,18
AN02472/S	<p>Clamp lamp brackets 42 mm clamplamp holders, stainless steel, black dull powder-coated, for front guard, 42 mm tube, set consisting of two holders. ADVICE: Only to use for tube diameter of 42 mm</p>	EUR 26,18
AN02473	<p>Clamp lamp brackets 51 mm Clamplamp holders, stainless steel, for front guard, 51 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 51 mm</p>	EUR 29,75
AN02473/S	<p>Clamp lamp brackets 51 mm Clamplamp holders, stainless steel, black dull powder-coated, for front guard, 51 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 51 mm</p>	EUR 29,75
AN02474	<p>Clamp lamp brackets 60 mm Clamplamp holders, stainless steel, for front guard, 60 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 60 mm</p>	EUR 30,94
AN02474/S	<p>Clamp lamp brackets 60 mm Clamplamp holders, stainless steel, black dull powder-coated, for front guard, 60 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 60 mm</p>	EUR 30,94
AN02475	<p>Clamp lamp brackets 70 mm Clamplamp holders, stainless steel, for front guard, 70 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 70 mm</p>	EUR 34,51
AN02475/S	<p>Clamp lamp brackets 70 mm Clamplamp holders, stainless steel, black dull powder-coated, for front guard, 70 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 70 mm</p>	EUR 34,51
AN02476	<p>Clamp lamp brackets 76 mm Clamplamp holders, stainless steel, for front guard, 76 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 76 mm</p>	EUR 36,89
AN02476/S	<p>Clamp lamp brackets 76 mm Clamplamp holders, stainless steel, black dull powder-coated, for front guard, 76 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 76 mm</p>	EUR 36,89
AN04091	<p>frontbar Front Guard stainless steel polished, 70 mm, with inegrated horizontal pipe 51 mm. The Front guard ist compatible with Park Control, ACC and FCM. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view! Shipment incl. mounting material and EC type approval. No entry in car documents within the EC necessary. ADVICE: Only until MY 2016, not for 75th Anniversary Edition and not for Summit and SRT</p>	EUR 379,00
CA02393	<p>window deflectors front, for left and right door, color black, set consisting of two visors, incl. vehicle operating permit</p>	EUR 74,07
CA02393H	<p>window deflectors rear, für left and right door, color smoky, set consisting of two deflectors</p>	EUR 55,91
CB02322	<p>trunkliner for trunk, black, with 5 cm border, with app. 5 cm hight border, nonskid material upside, easy to clean, resistant against acid, petrol and saltwater, dimensionally stable from -40°C to +80°C (at high incident solar radiation), no odor emission (material consists of PP/PE plastics), accurately fitting</p>	EUR 90,08
CB02323	<p>Footwell shell front left (drivers side), app. 5 cm high border, nonskid material upside, easy to clean, resistant against acid, petrol and saltwater, dimensionally stable from -40°C to +80°C (at high incident solar radiation), no odor emission (material consists of PP/PE plastics), accurately fitting - no shift or jam in foot pedal area</p>	EUR 28,66
CB02324	<p>Footwell shell front right (co-drivers side), app. 5 cm high border, nonskid material upside, easy to clean, resistant against acid, petrol and saltwater, dimensionally stable from -40°C to +80°C (at high incident solar radiation), no odor emission (material consists of PP/PE plastics), accurately fitting, no slip or jam in foot pedal area.</p>	EUR 28,66

Article No.	Description	Recommended Retail Price EUR incl. 19% VAT.
CB02325	Footwell shell rear left, app. 5 cm high border, nonskid material upside, easy to clean, resistant against acid, petrol and saltwater, dimensionally stable from -40°C to +80°C (at high incident solar radiation), no odor emission (material consists of PP/PE plastics), accurately fitting, no slip or jam in foot pedal area	EUR 28,66
CB02326	Footwell shell rear right, app. 5 cm high border, nonskid material upside, easy to clean, resistant against acid, petrol and saltwater, dimensionally stable from -40°C to +80°C (at high incident solar radiation), no odor emission (material consists of PP/PE plastics), accurately fitting, no slip or jam in foot pedal area	EUR 28,66
CB02887	carbox boot liner fits for boot area, l/w/h in mm: 1360/930/320, incl. anti-slide meadow 80 x 60 (120) cm, due to the folded option also to use as boot sill protection, food safe (RAL C3), acid resistant, no odor emission NOTE: Not to use in combination with ADSET56	EUR 285,90
CB02888	carbox boot liner accurately fitting tray behind driver- and co-driver seat until tailgate, black, L/W/H in mm: 1690 / 1400 / 320, anti rubber mat L/W/H in mm: 80 x 60 (120), hinged open to use as rear bumper paint protector, no odor emission (material consists of PP/PE plastics), food safe (RAL C3), acid resistant	EUR 340,90
CB05200	Multi mat Loading sill protection and boot mat, Velcro snaps for attachment to the carpet. Dimension approx. 80 x 60 cm. This mat is a universal item and not a vehicle specific product.	EUR 29,99
CBMM001	Multi mat to use in combination with trunkliner, press button for fixation, dimensions approx. 80 x 60 cm. This mat is applicable only in combination with trunkliners, whose Vmaxx Item numbers starts with CB.	EUR 19,99
CRLH060/S	Clamp lamp brackets 60 mm Stainless steel black coated, for front guard with 60 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 60 mm	EUR 42,00
CW02422	alloy rims Design CWB 8 x 18", offset 53 mm, pitch circle 5/127 mm, midhole 71, 6 mm, wheel load 950 kg, crystal silver coated, price per rim w/o tyre, incl. Component Test Report. Availability undefined - please ask for delivery time before placing an order ADVICE: Only for winter tyres 265/60R18 with Speedindex H	EUR 299,38
CW02422SM	alloy rims Design CWB 8 x 18", offset 53 mm, pitch circle 5/127 mm, midhole 71, 6 mm, wheel load 950 kg, black matt, price per rim w/o tyre, incl. Component Test Report ADVICE: Only for winter tyres 265/60R18 with Speedindex H	EUR 299,38
CW02428	Alloy rims Design CW3 9 x 20", offset 50 mm, pitch circle 5/127 mm, mid hole 71, 6 mm, wheel load 1.100 kg, sterling-silver, price per rim, w/o tyres, incl. Component Test Report	EUR 329,00
CW02429	Alloy rims Design CW3 9 x 20", offset 50 mm, pitch circle 5/127 mm, mid hole 71, 6 mm, wheel load 1.100 kg, black bright, price per rim, w/o tyres, incl. Component Test Report	EUR 329,00
CW02465	Alloy rims Design CW3 8, 5 x 19", offset 40 mm, pitch circle 5/127 mm, mid hole 71, 6 mm, wheel load 960 kg, sterling-silver, price per rim, w/o tyres, incl. Component Test Report ADVICE: Released only for M&S tyres (265/55R19, 275/55R19) with Speedindex H	EUR 289,00
CW02466	Alloy rims Design CW3 8, 5 x 19", offset 40 mm, pitch circle 5/127 mm, mid hole 71, 6 mm, wheel load 960 kg, black bright, price per rim, w/o tyres, incl. Component Test Report ADVICE: Released only for M&S tyres (265/55R19, 275/55R19) with Speedindex H	EUR 289,00
CW02658	Alloy rims Design CW3 9 x 21", offset 50 mm, pitch circle 5/127 mm, mid hole 71, 6 mm, wheel load 1.000 kg, sterling silver, price per rim, w/o tyres, incl. Component Test Report ADVICE: For tyres 265/45R11 and 275/40R21, not for SRT	EUR 359,00
CW02659	Alloy rims Design CW3 9 x 21", offset 50 mm, pitch circle 5/127 mm, mid hole 71, 6 mm, wheel load 1.000 kg, black bright, price per rim, w/o tyres, incl. Component Test Report ADVICE: For tyres 265/45R11 and 275/40R21, not for SRT	EUR 359,00
E-DB14	Number plate holder EU-Norm, polished stainless steel, with all stainless steel reverse, 52 cm, slightly curved (12 mm measured in the centre), single-line, external dimensions L/H/D: 525/124/9 mm. Design edition. The lower strip at the number plate holder can be removed due to a spring bolt lock. No special tool necessary. Ideal also for transferable licence plates. Plain, understated and high grade manufactured. Stainless steel 0.6 mm thickness. This results in incredibly rugged and long-lasting. The surface is polishable. There is no sensitive chromium coating. 100%	EUR 34,95

Article No.	Description	Recommended Retail Price
		EUR incl. 19% VAT.
E-DB14SE	<p>manufactured in the EU. Price per one license plate holder</p> <p>Number plate holder security</p> <p>EU-Norm, polished stainless steel, with all stainless steel reverse, 52 cm, slightly curved (12 mm measured in the centre), single-line, external dimensions L/H/D: 525/124/9 mm</p> <p>Security edition. Better protection against theft as the lower strip at the number plate holder is lateral anchored with special security screws. Suitable tools as well as backup screw are included in scoop of delivery.</p> <p>Plain, understated and high grade manufactured. Stainless steel 0.6 mm thickness. This results in incredibly rugged and long-lasting. The surface is polishable. There is no sensitive chromium coating. 100% manufactured in the EU.</p>	EUR 44,95
E-DG13	<p>Price per one license plate holder</p> <p>Number plate holder</p> <p>EU Norm, stainless steel polished, with all stainless steel backside, 52 cm straight, single-line. Outside dimension L/H/D: 525/124/9 mm.</p> <p>Design edition. The lower strip at the number plate holder can be removed due to a spring bolt lock. No special tool necessary. Ideal also for transferable licence plates.</p> <p>Plain, understated and high grade manufactured. Stainless steel 0.6 mm thickness. This results in incredibly rugged and long-lasting. The surface is polishable. There is no sensitive chromium coating. 100% manufactured in the EU.</p>	EUR 34,95
E-DG13SE	<p>Price for one license plate holder</p> <p>Number plate holder security</p> <p>EU Norm, stainless steel polished, with all stainless steel backside, 52 cm straight, single-line. Outside dimension L/H/D: 525/124/9 mm.</p> <p>Security edition. Better protection against theft as the lower strip at the number plate holder is lateral anchored with special security screws. Suitable tools as well as backup screw are included in scoop of delivery.</p> <p>Plain, understated and high grade manufactured. Stainless steel 0.6 mm thickness. This results in incredibly rugged and long-lasting. The surface is polishable. There is no sensitive chromium coating. 100% manufactured in the EU.</p>	EUR 44,95
EB02275	<p>Price per one license plate holder</p> <p>track widening</p> <p>25 mm per side, front or rear, set for one axle, incl. mounting material and Component Test Report, Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses. Please note that the track widening can not be used in combination with steel rims</p> <p>ADVICE: Not for SRT-8</p>	EUR 147,50
EB02276	<p>track widening</p> <p>30 mm per side, front or rear, set for one axle, incl. mounting material and incl. Component Test Report. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses. Please note that the track widening can not be used in combination with steel rims.</p> <p>ADVICE: Only for rear axis when used in combination with 20 inch rims. Not for SRT8</p>	EUR 147,50
EB02433	<p>suspension springs</p> <p>30 - 45 mm, set consisting of four progressive springs, incl. Component Test Report</p> <p>ADVICE: Not for vehicles with air suspension, not for SRT</p>	EUR 449,00
HE01002	<p>front fog lights Hella FF40</p> <p>set consisting of two high-beam head lights including professional wiring-kit. No Clamp lamp brackets included in scope of delivery, please order separately; Dimension in mm B 89, 7 X H 59, 7 X T 78, 3</p>	EUR 103,53
HE01003	<p>high-beam head lights Hella FF50</p> <p>set consisting of two high-beam head lights Hella FF50 including professional wiring-kit. No Clamp lamp brackets included in scope of delivery, please order separately, dimensions in mm W 117, 4 x H 72, 9 x D 96, 2</p>	EUR 72,00
HE01005	<p>front fog lights Hella FF50</p> <p>set consisting of two front fog lamps including professional wiring-kit. No Clamp lamp brackets included in scope of delivery, please order separately; Dimensions in mm W 117, 4 X H 72, 9 X D 96, 2</p>	EUR 72,00
HE01006	<p>High-beam headlight Hella FF75</p> <p>set consisting of two high-beam head lights including professional wiring-kit. No Clamp lamp brackets included in scope of delivery, please order separately; Dimensions in mm W 155, 5 X H 63, 7 X D 97, 5</p>	EUR 73,28
HE01008	<p>front fog lights Hella FF75</p> <p>set consisting of two front fog lamps including professional wiring-kit. No Clamp lamp brackets included in scope of delivery, please order separately; Dimensions in mmm W 155, 5 X H 63, 7 X D 97, 5</p>	EUR 73,19

Article No.	Description	Recommended Retail Price EUR incl. 19% VAT.
HE01009	high-beam headlights Hella Comet FF450 set consisting of two square and prominent H3 high-beam head lights, 12 V / 55 W, with rugged black plastic cover, for vertical and hanging mounting, mounting parts and manual, ECE-type approved. No Clamp lamp brackets included in scope of delivery, please order separately	EUR 113,05
HE01010	fog-lights Hella Comet FF450 set consisting of two square and prominent H3 front fog lights, 12 V / 55 W, with rugged black plastic cover, for vertical and hanging mounting, mounting parts and manual, ECE-type approved. No Clamp lamp brackets included in scope of delivery, please order separately	EUR 113,05
HE01011	high-beam headlights Hella Comet FF500 set consisting of two classic and round H3 high-beam head lights, 12 V / 55 W, with rugged black plastic cover, for vertical, mounting parts and manual, ECE-type approved, please order lamp bracket separately	EUR 113,05
HE01012	fog-lights Hella Comet FF500 set consisting of two H3 front fog lights, 12 V / 55 W, with rugged black plastic cover, for vertical and hanging mounting, mounting parts and manual, ECE-type approved please order lamp bracket separately	EUR 113,05
HE01013	high-beam headlights Hella Comet FF550 set consisting of two modern and elegant H3-high-beam head lights, 12 V / 55 W, rugged black plastic covers, for vertical and hanging mounting, mounting parts and manual, ECE-ttype approved. No Clamp lamp brackets included in scope of delivery, please order separately	EUR 113,05
HE01014	fog-lights Hella Comet FF550 set consisting of two modern and elegant H3 front fog lights, 12 V / 55 W, with rugged black plastic cover, for vertical and hanging mounting, mounting parts and manual, ECE-ttype approved please order lamp bracket separately	EUR 113,05
HW00014	Wiper Blades Hella Flat beam windscreen wiper Dyna Blades, set for driver and co-driver side. Feel the the difference - with wiper blades by Hella. Due to the coating of the blade rubber with graphite the rubbing between the wiper blade an the windscreen will be remarkable reduced. The result: Steady and quiet operation at extended performance period	EUR 28,00
IP00645	park distance control system tail park assistance system with 4 radio-controlled sensors and multifunctional display. Individual programming handy from from drivers seat. No need of cabling inside of vehicle interior, sensors are paintable, easy mounting.	EUR 259,00
IP00645F	park distance control system front park assistance system with 4 radio-controlled sensors and multifunctional display. Individual programming handy from from drivers seat. No need of cabling inside of vehicle interior, sensors are paintable, easy mounting.	EUR 259,00
IP00645FH	park distance control system front and rear with 8 radio-controlled sensors and multifunctional display. Individual programming handy from from drivers seat. No need of cabling inside of vehicle interior, sensors are coatable	EUR 439,90
IP03542	park distance control system front park assistance system with 4 radio-controlled sensors and multifunctional display. Incl. GPS module for vehicles where it is difficult to get access to the speed signal. Individual programming handy from from drivers seat. No need of cabling inside of vehicle interior, sensors are paintable, easy mounting.	EUR 279,00
IP03543	park distance control system front and rear park assistance system with 4 radio-controlled sensors and multifunctional display. Incl. GPS module for vehicles where it is difficult to get access to the speed signal. Individual programming handy from from drivers seat. No need of cabling inside of vehicle interior, sensors are paintable, easy mounting	EUR 459,00
KL02308	Metal Grate Dog Guard for secure partition between the boot space and the passenger compartment, above rear seats, easy to remove. No drill necessary for mounting	EUR 188,00
KL02603	Boot liner trunkliner, black, taylored, protects the boot against dust, animal hairs and wetness like water, oil and several chemicals as well as scrates and knocks. The flexiible tough lamination with anti-slip surface is flame-retardend, water-resistant and easy to clean. The textile lining of the cars boot is covered completely. The boot liner is easy to insert. If not in use is also easy to remove and to fold. The liner protects the boot from head-rests up to the boot sill. It is well suited for transportation of any dirty item. Depending on the boot surface the the trunkliner will be mounted with hook-and-loop fasteners or push-buttons	EUR 169,00
KL02660	dog ramp Dog ladder, innovative ramp loader, tripple telescopic, high grade mix of alloy and plastic. "SuperGrip" on running surface for safe step. The ramp is infinitely adjustable. Angled surface area with foamed cushion. Inkl. fixation belt for stowage if not in use. Makes it easier to get in and off nearly every car. Load capacity up to 85 kg when shared by 4 pads, steplessly variable from 73 to 163 cm, width 41 cm, stow dimension (W x L x H in cm) approx. 41 x 73 x 12, weight approx. 5, 5 kg.	EUR 169,90

Article No.	Description	Recommended Retail Price EUR incl. 19% VAT.
KL02724	Dirt mat bumper protection, universal, black, approx. 95 x 50 cm. Mounting via hook-and-loop fastener. To use only in combination with boot liner	EUR 19,90
KL04285	Dog Ramp XL Dog ladder in XL, innovative ramp loader, tripple telescopic, high grade mix of alloy and plastic. "SuperGrip" on running surface for safe step. The ramp is infinitely adjustable. Angled surface area with foamed cushion. Inkl. fixation belt for stowage if not in use. Makes it easier to get in and off nearly every car. Load capacity up to 85 kg when shared by 4 pads, steplessly variable from 83 to 183 cm, width 41 cm, stow dimension (W x L x H in cm) approx. 41 x 83 x 12, weight approx. 7, 6 kg.	EUR 199,90
KL04846	Carlok Deluxe Anti-theft device made of hardened steel with square safety key in the color silver. Please note: This anti-theft device / steering wheel claw is not suitable for vehicles with a steering wheel thickness of more than 34 mm. Not suitable for VW T5 / T6 and minibuses.	EUR 54,95
KU03037	in-car mount for telephone artificial leather, black	EUR 49,88
LM02823	Alloy rims Design RC25 8 x 18", offset 56, 4 mm, pitch circle 5/127 mm, mid hole 71, 6 mm, crystall silver, price per rim, w/o tyres, incl. Component Test Report	EUR 179,00
LM02824	Alloy rims Design RC25 8 x 18", offset 56, 4 mm, pitch circle 5/127 mm, mid hole 71, 6 mm, black dull, price per rim, w/o tyres, incl. Component Test Report	EUR 189,00
LM02825	alloy rims Design B32 8 x 18", offset 55 mm, pitch circle 5/127 mm, mid hole 71, 6 mm, himalaya-grey frontpolished, price per rim, w/o tyres, incl. Component Test Report without restrictions ADVICE: Not for SRT, for tyre dimensions 265/50R20 and 275/45R20	EUR 349,00
LM02826	alloy rims Design B32 8 x 18", offset 55 mm, pitch circle 5/127 mm, mid hole 71, 6 mm, black dull, price per rim, w/o tyres, incl. Component Test Report without restrictions ADVICE: For tyre dimensions 265/50R20 and 275/45R20, not for SRT	EUR 314,16
LM02827	alloy rims Design B32 10, 5 x 20", offset 45 mm, pitch circle 5/127 mm, mid hole 71, 6 mm, himalaya-grey frontpolished, price per rim, w/o tyres, incl. Component Test Report ADVICE: For tyre dimension 295/45R20, also for SRT	EUR 439,22
LM02828	alloy rims Design B32 10, 5 x 20", offset 45 mm, pitch circle 5/127 mm, mid hole 71, 6 mm, black dull, price per rim, w/o tyres, incl. Component Test Report ADVICE: For tyre dimension 295/45R20, also for SRT	EUR 399,90
LM03590	Alloy rims Design B32 9 x 21", offset 55 mm, pitch circle 5/127 mm, mid hole 71, 6 mm, black dull, price per rim, w/o tyres, incl. vehicle operating permit ADVICE: For tyre dimensions 265/45R21 and 275/40R21, not for SRT	EUR 505,75
LM03591	alloy rims Design B32 9 x 21, offset 55 mm, pitch circle 5/127 mm, mid hole 71, 6 mm, himalaya-grey broad-polished, price per rim, w/o tyres, incl. Component Test Report ADVICE: For tyre dimensions 265/45R21 and 275/40R21, not for SRT	EUR 535,50
LM03624	Alloy rims Design B32 10 x 22, offset 47 mm, pitch circle 5/127 mm, mid hole 71, 6 mm, schwarz black dull, price per rim w/o tyre, incl. vehicle operating permit ADVICE: For tyre dimension 265/35R22, 265/40R22, 275/35R22, 285/35R22 and 295/35R22, SRT8 only 295/35R22	EUR 569,00
LM03625	Alloy rims Design B32 10 x 22, offset 47 mm, pitch circle 5/127 mm, mid hole 71, 6 mm, himalaya-grey front polished, price per rim w/o tyre, , incl. Component Test Report ADVICE: For tyre dimension 265/35R22, 265/40R22, 275/35R22, 285/35R22 and 295/35R22, SRT8 only for 295/35R22	EUR 599,00
MS01049	caps for windsreen washer stainless steel chromed, set	EUR 19,90
NL00242	seat heater Seat heating, universal for back and seat areas, inclusive electrical kit and round switches with two stages. Due to carbon technic easy to fit to the surfaces. NOTE: Only for cars without glued seat surfaces!	EUR 99,00

Article No.	Description	Recommended Retail Price
		EUR incl. 19% VAT.
PE01807	<p>bumper strips plastics PUR, edition rounded-rounded, for front and rear. Mounting via adhesive, dimensions L/W/H in mm: 355/49/11. Included in delivery: strip set consisting of 2 pieces with double-faced adhesive tape and mounting instruction. Universal item, not vehicle specific!</p>	EUR 19,90
TH02317	<p>Fixpoint Roof Rack Roof rack with elegant and resistant black alloy bars with T-Nut for easy mounting of further accessories. Overall width approx. 118 cm, max. allowed load is 100 kg (Please also check the allowed roof load of your vehicle). Set consists of fixpoint footset 753, WingBar alloy 961 B and kit 4019, incl. lockset. NOTE: Roof rack not for S-Limited and SRT editions</p>	EUR 279,00
TH02318	<p>Fixpoint Roof Rack roof bar with square steel bars, covered with plastic. easy mounting of accessories, lockable. Set includes fixpoint footset 753, square bars 761 and Kit 4019 Fixpoint XT, lock set. The roof rack fulfils the requirements of the City Crash-Norm. For cars with roof rails. Maximum roof wheight is 50kg NOTE: Not for SRT</p>	EUR 209,11
TH02318AL	<p>fixpoint roof rack roof rack with elegant and resistant alloy bars with T-Nut for easy mounting of further accessories, lockable. Set consists of fixpoint footset 753, alloy bars 861 and Kit 4019, lockset. The roof rack fulfils the requirements of the City-Crash-Norm. For cars with roof rails. Maximum roof wheight is 50kg NOTE: Not for SRT</p>	EUR 249,00
TH02450	<p>snow chains 12 mm inside and on-the-tread clearance. Self-tensioning system: just one stop to fit the chain. Micro-regulation system for perfect tensioning of the chain. Special pattern chain design with double traction plates welded to increase grip and performance on snow. Anti-scratch nylon bumpers protecting alloy wheels (optional application). ADVICE: For Jeep Grand Cherokee WK with tyres 265/60R18</p>	EUR 249,00
TH02451	<p>snow chains 12 mm inside and on-the-tread clearance. Self-tensioning system: just one stop to fit the chain. Micro-regulation system for perfect tensioning of the chain. Special pattern chain design with double traction plates welded to increase grip and performance on snow. Anti-scratch nylon bumpers protecting alloy wheels (optional application). ADVICE: For Jeep Grand Cherokee WK with tyres 265/50R20</p>	EUR 265,00
TH02636	<p>roof bar Thule Roof carrier with elegant cross brace built of resistant alloy 150 cm long. With T-Nut for easy mounting. The set consists of Fixppoint-footer set Thule Rapid System 754, Thule WingBar Evo 150 cm and Kit 1656. NOTE: For vehicles without roof rack. Also suits S-Limited and SRT</p>	EUR 268,69
TH02636/S	<p>roof bar Thule Roof carrier with elegant cross brace built of resistant black anodized alloy 150 cm long. With T-Nut for easy mounting. The set consists of Fixppoint-footer set Thule Rapid System 754, Thule WingBar Evo 150 cm and Kit 1656. NOTE: For vehicles without roof rack. Also suits S-Limited and SRT</p>	EUR 279,00
TH02637	<p>roof bar roof carrier with square bars, steel covered with plastic, set consists of base set 754, SquareBars 763 and kit 1656 ADVICE: For vehicles without roof rack. Eligible for S-Limited and SRT</p>	EUR 208,68
TH02911	<p>roof bar flat roof rack with elegant traverses in wing shape, resistant alloy with T-track for easy mounting of accessories. Set consists of WingBar Edge 9592 and kit 4019 Fixpoint XT. Fulfils City Crash norm. For cars with roof rails, max additional load 50 kg ADVICE: Not for SRT and S-Limited</p>	EUR 289,00
TH02911/S	<p>roof bar This flat sitting whispbar roof carrier in black edition iis the base for all of your transport solutions on the roof of your car. Similar to wing profile the carrier ofers perfect aerodynamic. This results in less noise as well as less fuel compared to other roof carriers. Equipped with locks. Max load is 75 kg (please check the max. allowed roof load of your vehicle). The max. usable width of the support surface is approx. 84, 4 cm. Shipment: WingBar Edge 9592B and kit 4019. NOTE: Roof rack not for S-Limited and SRT editions</p>	EUR 339,00
TH05051	<p>Bike carrier Proride 598 Aluminum, for mounting on roof rails with aluminum rail or cambered profile, for bicycle frames up to 100 mm (oval 80 x 100 mm, round 22 - 80 mm), for bicycles up to 20 kg, lockable, installation from both sides possible. Wheel quick release, the bike carrier is pre-assembled, no tools required, meets the requirements of the City Crash standard.</p>	EUR 119,00

Article No.	Description	Recommended Retail Price
		EUR incl. 19% VAT.
TH05052	<p>bike carrierr FreeRide 532 for mounting on top of roof carriers with alloy or square profiles, for bicycle frames up to 80 mm (oval 65 x 80 mm, round 22 - 70 mm), lockable, quick clamp, the bicycle carrier is pre-assembled, no tools necessary, in accordance with the city crash rules</p>	EUR 69,00
TH05055	<p>wave surf carrier 832 for up to two surfboards, to mount on the roof carrier crossbars, boards are placed on soft and protective rubber holders, incl. two tension belts each 180 cm</p>	EUR 78,99
TH05056	<p>sailboard carrier 533 for one (wind-) surfboard and two masts, to mount on square roof carrier crossbars, inc. cushion for the bearing surface, incl. two tension belts each 275 cm</p>	EUR 87,00
VM01541E	<p>parking sensor for reverse including four sensors each 18 mmm, LED balk display and accoustic signal</p>	EUR 119,00
VM01542E	<p>parking sensor for front with four sensors each 18 mm, LED bar display, acustic signal and additional cutout switch</p>	EUR 119,00
VM02277A	<p>trailer coupling detachable towbar, trailer load 3.500 kg, vertical load 175 kg, D-value 15, 8 kN, incl. mounting kit and vehicle operating permit. Please note: All technical are verified data provided by the manufacturer of the towbar. The decisive factor are the data in the car documents of the car manufacturer NOTE: When using the Trackhawk in trailer operation, the flap in the bumper must be disassembled. Also for vehicles with AdBlue tank. Forvehicles Overland Laredo, Limited und SRT-8. Trailer coupling not for edition Summit.</p>	EUR 335,00
VM02277S	<p>trailer coupling fixed towbar, trailer load 3.500 kg, vertical load 175 kg, D-value 15, 8 kN, incl. mounting kit and vehicle operating permit. Please note: All technical are verified data provided by the manufacturer of the towbar. The decisive factor are the data in the car documents of the car manufacturer NOTE: Fits vehicles with AdBlue tank. Trailer coupling does not fit JEEP Grand Cherokee WK Summit und SRT</p>	EUR 205,00
VM02303	<p>mirror covers plastic chromed, set consisting of two pieces</p>	EUR 149,00
VM02375	<p>end silencer stainless steel left and right. Endpipe with 127 mm diamete, round and chamfered, set consists of two rear silencers ADVICE: Dual pipe exhaust system only for JEEP Grand Cherokee WK 5,7 L petrol engine (259 kW), not for Summit, Incl. EU operating approval</p>	EUR 969,85
VM02446	<p>running boards Stainless steel, 60 mm, rippled steel overlay and side bar, incl. vehicle operating permit. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. NOTE: Running boards do not fit Trailhawk</p>	EUR 669,00
VM02447	<p>side bars Side tubes, stainless steel polished, 76 mm, set consisting of two pipes, incl. vehicle operating permit. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. ADVICE: Side pipes not for JEEP Grand Cherokee Trailhawk</p>	EUR 519,01
VM02447/S	<p>side bars Side tubes, stainless steel black powder-coated, 76 mm, set consisting of two pipes, incl. vehicle operating permit. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. ADVICE: Side pipes not for JEEP Grand Cherokee Trailhawk</p>	EUR 519,01
VM02448	<p>side bars stainless steel polished, 76 mm, with step plateset, set consisting of two pipes, incl. vehicle operating permit. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and</p>	EUR 669,00

Article No.	Description	Recommended Retail Price
		EUR incl. 19% VAT.
VM02448/S	<p>mounting material are included in shipment. ADVICE: Side pipes not for JEEP Grand Cherokee Trailhawk</p> <p>side bars tubes, stainless steel black black coated, 76 mm, with step plateset, set consisting of two pipes, incl. vehicle operating permit Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery</p>	EUR 669,00
VM02449	<p>Rear bumper edge protectors stainless steel 60 mm, set consisting of two pieces, incl. Component Test Report ADVICE: Not for Summit and SRT and not to use in combination with dirt traps</p>	EUR 324,87
VM02452	<p>Design element for rear bumper ABS plastics, silver self-adhesive. Primer VT00329 included in shipment ADVICE: Only for cars with left and right exhaust system. Not for Summit and not for SRT</p>	EUR 117,87 EUR 69,00*
VM02456	<p>door sill panels door sill panels stainless steel brushed, front drivers and co-drivers-side with minted logo GRAND CHEROKEE, rear w/o logo, set consisting of four stripes for front- and rear-side, incl. double-sided adhesive tape for mounting</p>	EUR 89,00
VM02604/G	<p>alloy rim Design Gotham 10 x 20", fix drilled, offset 42 mm, pitch circle 5/127 mm, deep bed 4 cm, midhole 71, 6 mm, matt gun, price per rim w/o tyre, incl. Component Test Report. Availability undefined - please ask for delivery time before placing an order ADVICE: For JEEP Grand Cherokee WK and JEEP Grand Cherokee WK SRT. Possible tyre dimensions 275/45R20 and 295/45R20</p>	EUR 519,99
VM02604/S	<p>alloy rim Design Gotham 10 x 20", fix drilled, offset 42 mm, pitch circle 5/127 mm, deep bed 4 cm, midhole 71, 6 mm, silver, price per rim w/o tyre, incl. Component Test Report. Availability undefined - please ask for delivery time before placing an order ADVICE: For JEEP Grand Cherokee WK and JEEP Grand Cherokee WK SRT. Possible tyre dimensions 275/45R20 and 295/45R20</p>	EUR 519,99
VM02756	<p>trunkliner for trunk, black, car specific, 3-4 cm high border, anti-slip surface, easy to clean, dimensionally stable, low odor, plastic-rubber mixture (TPE), protects the car carpet against dirt, snow, liquids and moisture penetration. Therefore corrosion of the cars floor will be prevented. Sand and liquids can be dumped with ease. If not in use the mat can be space-saving rolled in</p>	EUR 49,00
VM02810	<p>electric installation kit for tow bar, 13 poles, with vehicle specific plugs, installation instruction ADVICE: Installation much more complex compared to VM03153</p>	EUR 126,00
VM02812/BR	<p>trailer coupling detachable trailer coupling, trailer load 3.500 kg, vertical load 175 kg, D-value 15, 8 kN, incl. mounting kit and vehicle operating permit. Please note: All technical are verified data provided by the manufacturer of the tow bar. The decisive factor are the data in the car documents of the car manufacturer NOTE: Only for JEEP Grand Cherokee WK Summit and Overland Sport since MY 2018. Also for vehicles with AdBlue tank. Not for SRT.</p>	EUR 335,00
VM02921	<p>frontbar front guard with underride guard, stainless steel polished, 76 mm. Also to use in combination with forward collision warning. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view! Shipment incl. mounting material and EC type approval. No entry in car documents within the EC necessary. NOTE: Front Guard fits all Wks since MY 2014, but does not fit SRT and Summit since MY 2017</p>	EUR 734,23
VM02921/SU	<p>frontbar front guard with underride guard, stainless steel polished, 76 mm. Also to use in combination with forward collision warning. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view! Shipment incl. mounting material and EC type approval. No entry in car documents within the EC necessary. NOTE: Front Guard fits WK summit since MY 2017</p>	EUR 734,23

Article No.	Description	Recommended Retail Price EUR incl. 19% VAT.
VM03039	headlight surround plastic, chrome plated, 2 parts, self-adhesive ADVICE: Only until MY 2016, not for 75th Anniversary Edition	EUR 89,00
VM03040	Covers headlamp cleaner plastic chrome plated, honeycomb optic, for headlamp cleaning device below headlamps, 6 pieces, self adhesive ADVICE: Only until MY 2016, not for 75th Anniversary Edition	EUR 49,00
VM03041	door trim parts plastics chromed, four pieces, incl. double-sided adhesive tape for mounting	EUR 149,00
VM03043	Chrome frame window winder plastic, for window winder driver- and co-driver door, self-adhesive	EUR 49,00
VM03045	Cover door hinges plastic black, set consisting of four pieces	EUR 11,90
VM03066	decor rings for fog rear lights frames for rear lights in rear bumper, plastics chromed, set consisting of two covers, incl. double-faced adhesive tape for mounting ADVICE: Not for Summit and SRT	EUR 49,00
VM03067	rear door grip cover plastic chrome plated, self-adhesive with tape	EUR 39,01
VM03070	pedal sets stainless steel dull, with black plastic nubs, two pieces, exchange against original pedal rubbers	EUR 99,00
VM03072	Inserts for radiator grille plastic chromed, threepart, in exchange against original inserts ADVICE: Only until MY 2016, not for 75th Anniversary Edition	EUR 139,00
VM03115	frontbar Frontguard, stainless steel polished, 76 mm, with integrated cross tube. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view! Shipment incl. mounting material and EC type approval. No entry in car documents within the EC necessary. ADVICE: Only until MY 2016, not for 75th Anniversary Edition	EUR 449,00
VM03120	door-edge protection transparent door-edge protection, four-part, self-adhesive 3M, universal part, not car specific	EUR 18,90
VM03141	gearshift lever knob automatic gearshift, below fully covered with leather by hand. The upper part is not included in scope of delivery and must be reassembled NOTE: Automatic gearshift lever knob only for JEEP Grand Cherokee until MY 2016	EUR 279,65
VM03153	electric installation kit for tow bar, 13 poles, with vehicle specific plugs, installation instruction ADVICE: Installation much easier compared to VM02810	EUR 224,91
VM03156	doormat tuft-velours, fit, 4 pieces, black, with black binding of the edges, back-coating in latex fine imprinting, drivers side with two eyes, co-drivers side with two eyes	EUR 59,50
VM03240	running boards alloy, stainless steel polished, with plastic treads and exact fit, depth of the surface approx. 13 cm, carrying capacity per side 200 kg, no drills or welding necessary. Shipment includes one set of running boards for left and right side, mounting equipment, mounting instruction in German. Mounting at already existing mounting points of the car. time for mounting approx. one hour. incl. vehicle operating permit, no additional test acceptance or entry in car documents within the EC necessary ADVICE: Running boards fitting for JEEP Grand Cherokee Laredo, Limited, Overland. Summit and SRT8, but not for Trailhawk	EUR 369,00
VM03498	Headlamp Hella LED Lightbar 350 LED Driving High Beam Light in shape of a compact LED light bar with Ref. 20. 350 mm length, low construction height and low weight of only 700g. Developed for the special requirements of Offroad vehicles as well as for aerodynamic mounting on cabins of trucks. Dimensions: length 350 mm, construction height 40 mm (56 mm incl. holder), construction depth 53 mm (81 mm incl. holder) - 12 high performance automotive grade LEDs - Housing back with innovative rib design - Thermally conductive non-metal housing - Suitable for horizontal mounting - Highly adaptable mounting system	EUR 279,90

Article No.	Description	Recommended Retail Price EUR incl. 19% VAT.
VM03499	<ul style="list-style-type: none"> - Low power consumption, 12 V / 25 W, 24 V / 25 W (Multivolt) - High Beam with Ref. 20 - ECE-type-approved E24 0008, for use on public roads <p>Price per piece</p> <p>Headlamp Hella Comet 200 LED</p> <p>Single head lamp with 2 poles connection line 1.200 mm (with open ends), fixation holder, integral LED illuminant.</p> <p>Dimensions: diameter 144 mm, height 159 mm (incl. holder), construction depth 71 mm (ideal for limited mounting areas).</p> <ul style="list-style-type: none"> - Suitable for passenger car, SUV, transporter, mobile home - Modern high performance LED alternative to compact halogen auxiliary driving lamps - Distinctive light design consistent with LED main head lamps - Effective heat conduction of the LED electronic due to cooling ribs on the back of the housing - Suitable for horizontal mounting - Highly adaptable mounting system - Suitable for upright mounting - Low power consumption, 12 V / 13 - High Beam with Ref. 12,5 - ECE-type-approved (E1) 112-01 3965, SAE Y14 TF62 und CCC for use on public roads 	EUR 239,00
VM03548	<p>Price per piece</p> <p>running boards</p> <p>alloy, black, with rugged plastic treads and exact fit, depth of the surface approx. 13 cm, carrying capacity per side 200 kg, no drills or welding necessary. Shipment includes one set of running boards for left and right side, mounting equipment, mounting instruction in German. Mounting at already existing mounting points of the car. time for mounting approx. one hour. incl. vehicle operating permit, no additional test acceptance or entry in car documents within the EC necessary.</p> <p>ADVICE: Fits to JEEP Grand Cherokee Laredo, Limited, Overland. Summit and SRT8, not for Trailhawk</p>	EUR 369,00
VM03555	<p>rubber footwell shells</p> <p>black, set consisting of four mats for front and rear, car specific, 3-4 cm high border, anti-slip surface, easy to clean, dimensionally stable, low odor, plastic-rubber mixture (TPE), protects the car carpet against dirt, snow, liquids and moisture penetration. Therefore corrosion of the cars floor will be prevented. Sand and liquids can be dumped with no ease. If not in use the mat can be space-saving rolled in</p> <p>NOTE: Only for vehicles since MY 2014</p>	EUR 49,00
VM03571	<p>Park Distance Control front of rear</p> <p>with four ultrasonic sensors, applicable for front or rear, adjustable sensitivity of sensors, acoustic signal, shipment includes control unit, buzzer and wiring. For vehicles with 12V DC only</p>	EUR 89,00
VM03663	<p>Cover seat adjustment</p> <p>driver and co-driver side, quadripartite, plastic black/silver dull, incl. double-sided adhesive tape for mounting.</p>	EUR 29,90
VM03890/S	<p>running boards</p> <p>Stainless steel black powder-coated, set consisting of two boards, pipe diameter 50 mm and treads in black resistant plastic, incl. Component Test Report.</p> <p>The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included in shipment. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs.</p>	EUR 439,00
VM04064	<p>Footwell shells</p> <p>black, threepart set for front and rear, front tough floor liners for drivers and co-drivers side, rear one end-to-end tough floor liner, car specific, dimensionally stable, OE-quality durable Thermoplastic material protects the car carpet against dirt, snow, liquids and moisture penetration. Therefore corrosion of the cars floor will be prevented. Sand and liquids can be dumped with ease.</p>	EUR 249,00
VM04173	<p>end silencer</p> <p>stainless steel black, left and right, 129 x 106 mm, pipe cross sectional area 70 mm. Mounting material is included in scope of delivery, incl. EC type approval, no entry in car documents within the EC necessary.</p> <p>NOTICE: End exhaust silencer for JEEP Grand Cherokee WK II with 6,4l SRT8 and 344kW</p>	EUR 1.259,57
VM04229	<p>chassis heightening</p> <p>heightening at front and rear axle approx. 30 mm, permitted for vehicles with axle loads front axle up to 1.452 kg, rear axle up to 1.678 kg, set consisting of four progressive springs, incl. Component Test Report. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting</p>	EUR 575,00

Article No.	Description	Recommended Retail Price EUR incl. 19% VAT.
VM04317	<p>approval through inspection authority is obligatory and may may result in additional expenses. NOTICE: Chassis heightening for 3.0 l diesel and 3,6 l petrol without pneumatic shock absorption</p> <p>Clamp lamp brackets Clamplamp holders, stainless steel brushed, for front guard, 63 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 63 mm</p>	EUR 66,52
VM04317/S	<p>Clamp lamp brackets Clamplamp holders, stainless steel black coated, for front guard, 63 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 63 mm</p>	EUR 66,52
VM04318	<p>Clamp lamp brackets 76 mm Clamplamp holders, stainless steel brushed, for front guard, 76 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 76 mm</p>	EUR 66,52
VM04318/S	<p>Clamp lamp brackets 76 mm Clamplamp holders, stainless steel black coated, for front guard, 76 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 76 mm</p>	EUR 66,52
VM04473	<p>Cargo Containment System Original CargoTech system by WeatherTec integrates with either a separately offered Boot Liner, standard surface of your car trunk, or SUV boot area to aid in securing large or unusually shaped items, such as grocery bags, coolers, bottle cases or plants. Molded from two different materials, the Cargo Containment System couples a durable plastic "fence" with a super-grippy underside to ensure your goods remain stable. Not recommended for use on carpets. Sold as a set-of-four with each corner piece measuring: approx. 20 cm x 20 cm x 13 cm. Possibly illustrated cartons or beverage boxes are not included in the delivery.</p>	EUR 35,70
VM04947	<p>Coasters for cup holders Coasters made with enviro-friendly TPE material. Added sidewall protection that cover the bottom and sides of your cup holder that catches and holds spills, condensation, crumbs and other messes. Produced with a unique textured and ribbed pattern that ensures your drink will never get stuck allowing your beverage to perspire, while raising it away from the mess. Molded, specialized finger handles make removal and cleaning a breeze. NOTE: This is a universal and not a vehicle specific product. Diameter about 8 cm, raised edge about 2 cm, set of four coasters. Please check the dimensions of your vehicle before ordering.</p>	EUR 11,90
VM05177	<p>side bars design bars, stainless steel polished, mm, with step plateset in mix of alloy and rubber, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs. NOTE: Not for JEEP Grand Cherokee WK editions Summit and SRT.</p>	EUR 506,00
VM05177/S	<p>side bars Design bars, stainless steel black powder-coated, oval, with step plateset in mix of alloy and rubber, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. The inspection / acceptance at a technical inspection center is obligatory and can lead to further costs. NOTE: Not for JEEP Grand Cherokee WK editions Summit and SRT.</p>	EUR 506,00
VM05178	<p>frontbar Frontguard, stainless steel, 76 mm. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view! Shipment of the accessory incl. mounting material and EC type approval. No entry in car documents within the EC necessary. NOTE: Compatible with ACC System, camera and park sensors. In case of park sensors use our park sensors stickers to fit the front guard. Not for Summit and SRT.</p>	EUR 399,00
VM05178/S	<p>frontbar Frontguard, stainless steel, black powder-coated, 76 mm. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view! Shipment of the accessory incl. mounting material and EC type approval. No entry in car documents within the</p>	EUR 399,00

Article No.	Description	Recommended Retail Price
	EC necessary. NOTE: Compatible with ACC System, camera and park sensors. In case of park sensors use our park sensors stickers to fit the front guard. Not for Summit and SRT.	
VM05179	<p>side bars Stainless steel polished 76 mm, set consisting of two side skirts, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs. NOTE: Not for JEEP Grand Cherokee WK editions Summit and SRT.</p>	EUR 449,00
VM05179/S	<p>side bars Stainless steel black powder-coated 76 mm, set consisting of two side skirts with black treads, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs. NOTE: Not for JEEP Grand Cherokee WK editions Summit and SRT.</p>	EUR 449,00
VM05180	<p>side bars side bars, stainless steel polished, oval, with upstep plastic black, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. The inspection / acceptance at a technical inspection center is obligatory and can lead to further costs. NOTE: Not for JEEP Grand Cherokee WK editions Summit and SRT.</p>	EUR 483,00
VM05180/S	<p>side bars Side bars, stainless steel black powder-coated, oval, with upstep plastic black, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs. NOTE: Not for JEEP Grand Cherokee WK editions Summit and SRT.</p>	EUR 483,00
VM05181	<p>running boards Stainless steel, set consisting of two boards, pipe diameter 50 mm with treads in resistant plastic, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs. NOTE: Not for JEEP Grand Cherokee WK editions Summit and SRT.</p>	EUR 449,00
VM05181/S	<p>running boards Stainless steel black powder-coated, set consisting of two boards, pipe diameter 50 mm and treads in black resistant plastic, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included in shipment. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs. NOTE: Not for JEEP Grand Cherokee WK editions Summit and SRT.</p>	EUR 449,00
VT00540	<p>wheel arch universal, for front or rear, wide edition 25 - 32 mm width, length approx. 21, 5 cm, set two-piece for left and right, incl. double-sided adhesive tape</p>	EUR 34,90

Article No.	Description	Recommended Retail Price
		EUR incl. 19% VAT.
VT00540/S	wheel arch universal, for front or rear, slim edition 10 - 13 cm width, length approx. 21, 5 cm, set two-piece for left and right, incl. double-sided adhesive tape	EUR 34,90
VT00540/XXL	wheel arch universal for front or rear, wide edition 25 - 32 mm width, length approx. 70 cm, set two-piece for left and right, incl. double-sided adhesive tape	EUR 48,20

*** SALE - while stocks last**

All prices in EUR including VAT. Delivery is ex works, excluding shipping costs. Errors, omissions and intermediate sale without notice.
For all goods and services shall apply our currently valid general terms and conditions.

Updated: 18.1.2020

Article No. **Description**

Recommended Retail Price
EUR incl. 19% VAT.