

Article No.	Description	Recommended Retail Price EUR incl. 19% VAT.
2175	<p>Holder for breakaway cable Holder for the breakaway cable, used to fasten the breakaway cable while driving with a trailer.</p>	EUR 24,89
A022600	<p>bike carrier Strada DL 2 for two bicycles, mounting on towel bar. Illuminating system integrated, Payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval. Expandable to carry four bykes with item A022610. Accessories for tire widths larger than 2.4 inches: - 300 mm locking tape set up to 3.0 inch tire width (4 pieces, item A022730). - 350 mm locking tape set up to 4.0 inch tire width (4 pieces, with steel insert, item A022735). Detachable locking straps on all current Strada models (Standard equipment with 250 mm locking band length for tire widths up to 2.4 inches). Transport of up to 2 light e-bikes up to a maximum of 23.5 kg per bike rail (please note the permissible total load of 47 kg for model DL 2) NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars! Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar. More details of the rear bike carrier Strada DL2:</p>	EUR 438,41
A022601	<p>bike carrier Strada DL 3 for three bicycles, mounting on towel bar. Illuminating system integrated, maximum payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval. Expandable to carry four bikes with item A022611 (therefor separate anchoring necessary). Accessories for tire widths larger than 2.4 inches: - 300 mm locking tape set up to 3.0 inch tire width (4 pieces, item A022730). - 350 mm locking tape set up to 4.0 inch tire width (4 pieces, with steel insert, item A022735). Detachable locking straps on all current Strada models (Standard equipment with 250 mm locking band length for tire widths up to 2.4 inches). Transport of up to 2 light e-bikes up to a maximum of 23.5 kg per bike rail (please note the permissible total load of 45 kg for model DL 3) NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars! Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar. Details of the rear bike carrier Strada DL3:</p>	EUR 542,63
A022610	<p>add-on set rack for 3rd bike with spacer, for rear bike carrier Strada Sport M 2 and Strada DL 2. Maximum payload 45 kg*. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p>	EUR 92,82
A022611	<p>add-on set for 4th bicycle, for bicycle-carrier Strada DL.3. Maximum payload 63 kg*. Only allowed when fourth bicycle is anchored separately! * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p>	EUR 158,27
A022624	<p>add-on set rack for 4th bike with spacer, for bicycle-carrier Strada Sport M 3, maximum payload 68 kg*. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p>	EUR 92,82
A022635	<p>Drive-up rail Rear bike carrier Loading aid for Strada Sport, Stada E-Bike M / ML and Strada DL bicycle tow bar carriers, Matt anodized aluminium / PPT</p>	EUR 42,84
A022684	<p>bike carrier Strada Sport M 2 for two bicycles, mounting on towel bar. Illuminating system integrated, maximum payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval. Expandable to carry four bykes with item A022610. NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars! Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch</p>	EUR 372,68

Article No.	Description	Recommended Retail Price
	<p>used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p> <p>Details of rear bike carrier Strada Sport M3:</p>	EUR incl. 19% VAT.
A022685	<p>bike carrier Strada Sport M 3</p> <p>for three bicycles, mounting on towel bar. Illuminatiing system integrated, Payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval.Expandable to carry four bikes with item A022624.</p> <p>NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars!</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p> <p>Details of rear bike carrier Strada Sport M3:</p>	EUR 390,00
A022686	<p>bike carrier Strada eBike M</p> <p>Foldable carrier for two e-bikes, mounting on tow-bar, lighting system with light protection, extra long gaps from bike to bike, maximum payload 60 kg*, frame diameters from 25 to 80 mm, tyre width 18 - 29 inches, weight 14 kg, dimensions in mm 1.000 x 590 x 200 (folded frame), EC operating permit.</p> <p>NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars!</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p>	EUR 409,00
A022696	<p>Bike carrier Strada eBike ML</p> <p>Foldable carrier for two e-bikes, mounting on tow-bar, lighting system with light protection, extra long gaps from bike to bike, maximum payload 60 kg*, frame diameters from 25 to 80 mm, tyre width 18 - 29 inches, weight 15, 5 kg, dimensions in mm 1.200 x 590 x 200 (folded frame), EC operating permit.</p> <p>NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars!</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p>	EUR 429,99
A022750	<p>bike carrier Strada Vario 2</p> <p>ultimativ fold carrier for two bikes or e-bikes, mounting on towel bar. Illuminatiing system integrated, maximum payload 60 kg*, for border diameter from 25 to 80 mm, tyre dimension 18-29 inches, weight 16, 9 kg, dimensions in mm 1.140 x 600 x 740, stow dimension in mm 635 x 395 x 630, EU type approval**</p> <p>NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars!</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p> <p>** Vertical load of the tow bar when loaded with two bikes must be at least 50 kg.</p> <p>Details of rear bike carrier Strada Vario2:</p>	EUR 548,99
A022751	<p>bike carrier Strada Vario 3</p> <p>ultimativ fold carrier for two bikes or e-bikes, mounting on towel bar. Illuminatiing system integrated, Payload 66 kg, for border diameter from 25 to 80 mm, tyre dimension 18-29 inches, weight 19, 9 kg, dimensions in mm 1.140 x 730 x 690, stow dimension in mm 635 x 470 x 730, EC type approval</p> <p>NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars!</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking</p>	EUR 649,00

Article No.	Description	Recommended Retail Price
	<p>systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p> <p>**Vertical load of the tow bar when loaded with three bikes must be at least 60 kg.</p> <p>Details of rear bike carrier Strada Vario3:</p>	EUR incl. 19% VAT.
A082227	<p>Bike carrier Giro AF+</p> <p>for roof bar, matt anodized aluminium, bikes from 20 to 29 wheel size, for all regular tyre sizes, including 3.0" wide Plus-Tyres, automatic holding function, theft protection for bike and carrier, holds round frames from 22 to 80 mm and oval frams up to 100 x 80 mm, for steel cross bars, 32 x 22 mm, maximum bike weight 17 kg. City Crash certified. Not suitable for e-Bikes. Roof bar as well as bike are not included in scope of delivery.</p>	EUR 119,00
A082291	<p>Roof box CASAR M Lava Structured</p> <p>Attractive roof box in lava-structured, material: ABS / ASA, lid opening on right side, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, Master Fit fast-mounting, central locking. Dimensions L / W / H 177 x 77 x 42 cm, volume 380 L, empty weight 14.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is aa universal item and not a vehicle specific product.</p>	EUR 369,00
A082292	<p>Roof box CASAR L Brilliant Black</p> <p>Attractive roof box in Brilliant Black, material: ABS / PMMA, lid opening on both sides, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 191 x 81 x 42 cm, volume 420 L, empty weight 17.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty.</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p> <p>- Symbolic illustration</p>	EUR 499,00
A082293	<p>Roof box CASAR L Lava Structured</p> <p>Attractive roof box in Lava Structured, material: ABS / ASA, lid opening on both sides, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 191 x 81 x 42 cm, volume 420 L, empty weight 17.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p> <p>- Symbolic illustration</p>	EUR 469,00
A082294	<p>Roof box CASAR XL Brilliant Black</p> <p>Attractive roof box in Brilliant Black, material: ABS / PMMA, lid opening on both sides, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 215 x 90 x 43 cm, volume 540 L, empty weight 20.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty.</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p>	EUR 574,16
A082295	<p>Roof box CASAR XL Lava Structured</p> <p>Attractive roof box in Lava Structured, material: ABS / ASA, lid opening on both sides, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 215 x 90 x 43 cm, volume 540 L, empty weight 20.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty.</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p>	EUR 490,49
A082704	<p>ski carrier NOVA 4</p> <p>Ski and snowboard carrier attachment, set for 4 pairs of skis or 1 snowboard and 1 pair of skis, lockable dirt catch protects against dust and dirt.</p> <p>Total width approx. 570 mm, loading area approx. 400 mm, depth of rubber pad approx. 60 mm. Some bindings on boards or skis require greater distances to the vehicle roof. In the Nova basic equipment, the adapters are included.</p> <p>This carrier attachment is suitable for square support tube 32 x 22 mm or aluminum profiles and is not to be used with the original railing of the vehicle manufacturer.</p>	EUR 139,00

Article No.	Description	Recommended Retail Price EUR incl. 19% VAT.
A082706	<p>ski carrier NOVA 6 Ski and snowboard carrier attachment, set for 6 pairs of skis or 2 snowboard and 1 pair of skis, lockable dirt catch protects against dust and dirt. Total width approx. 780 mm, loading area approx. 610 mm, depth of rubber pad approx. 60 mm. Some bindings on boards or skis require greater distances to the vehicle roof. In the Nova basic equipment, the adapters are included. This carrier attachment is suitable for square support tube 32 x 22 mm or aluminum profiles and is not to be used with the original railing of the vehicle manufacturer.</p>	EUR 168,99
A089048	<p>surf kit for roof bar Rubber bonded, powder-coated, steel, simple mounting, set for transport of one surfboard consisting of four metall brackets, two straps each 2, 50 m and two mast holders, roof luggage rack not included in delivery. This extension is not to use in combination with the original rail racks of the car manufacturer. Mounting only on square bars 32 x 32 mm.</p>	EUR 119,00
CB05200	<p>Multi mat Loading sill protection and boot mat, Velcro snaps for attachment to the carpet. Dimension approx. 80 x 60 cm. This mat is a universal item and not a vehicle specific product.</p>	EUR 29,99
E-DG13	<p>Number plate holder EU Norm, stainless steel polished, with all stainless steel backside, 52 cm straight, single-line. Outside dimension L/H/D: 525/124/9 mm. Design edition. The lower strip at the number plate holder can be removed due to a spring bolt lock. No special tool necessary. Ideal also for transferable licence plates. Plain, understated and high grade manufactured. Stainless steel 0.6 mm thickness. This results in incredibly rugged and long-lasting. The surface is polishable. There is no sensitive chromium coating. 100% manufactured in the EU. Price for one license plate holder for rear</p>	EUR 34,95
E-DG13SE	<p>Number plate holder security EU Norm, stainless steel polished, with all stainless steel backside, 52 cm straight, single-line. Outside dimension L/H/D: 525/124/9 mm. Security edition. Better protection against theft as the lower strip at the number plate holder is lateral anchored with special security screws. Suitable tools as well as backup screw are included in scoop of delivery. Plain, understated and high grade manufactured. Stainless steel 0.6 mm thickness. This results in incredibly rugged and long-lasting. The surface is polishable. There is no sensitive chromium coating. 100% manufactured in the EU. Price per one license plate holder for rear</p>	EUR 44,95
IP00645	<p>Park distance control system front or tail Parking system for front or rear with 4 radio-controlled sensors and multifunction display. Individual programming conveniently from the driver's seat. It is not necessary to lay cables inside the vehicle. The sensors can be painted, assembly is easy. This article is not expandable, even the version with eight sensors!</p>	EUR 259,00
IP00645FH	<p>Park distance control system front and tail Parking system for front or rear with 8 radio-controlled sensors and multifunction display. Individual programming conveniently from the driver's seat. It is not necessary to lay cables inside the vehicle. The sensors can be painted, assembly is easy.</p>	EUR 439,90
KL02660	<p>dog ramp Dog ladder, innovative ramp loader, tripple telescopic, high grade mix of alloy and plastic. "SuperGrip" on running surface for safe step. The ramp is infinitely adjustable. Angled surface area with foamed cushion. Inkl. fixation belt for stowage if not in use. Makes it easier to get in and off nearly every car. Load capacity up to 85 kg when shared by 4 pads, steplessly variable from 73 to 163 cm, width 41 cm, stow dimension (W x L x H in cm) approx. 41 x 73 x 12, weight approx. 5, 5 kg.</p>	EUR 169,90
KL04285	<p>Dog Ramp XL Dog ladder in XL, innovative ramp loader, tripple telescopic, high grade mix of alloy and plastic. "SuperGrip" on running surface for safe step. The ramp is infinitely adjustable. Angled surface area with foamed cushion. Inkl. fixation belt for stowage if not in use. Makes it easier to get in and off nearly every car. Load capacity up to 85 kg when shared by 4 pads, steplessly variable from 83 to 183 cm, width 41 cm, stow dimension (W x L x H in cm) approx. 41 x 83 x 12, weight approx. 7, 6 kg.</p>	EUR 199,90
NL00242	<p>seat heater Seat heating, universal for back and seat areas, inclusive electrical kit and round switches with two stages. Due to carbon technic easy to fit to the surfaces. NOTE: Only for cars without glued seat surfaces!</p>	EUR 99,00
PE01807	<p>bumper strips plastics PUR, edition rounded-rounded, for front and rear. Mounting via adhesive, dimensions L/W/H in mm: 355/49/11. Included in delivery: strip set consisting of 2 pieces with double-faced adhesive tape and mounting instruction. Universal item, not vehicle specific!</p>	EUR 19,90

Article No.	Description	Recommended Retail Price EUR incl. 19% VAT.
VM01541E	parking sensor for reverse including four sensors each 18 mmm, LED balk display and accoustic signal	EUR 119,00
VM01542E	parking sensor for front with four sensors each 18 mm, LED bar display, acustic signal and additional cutout switch	EUR 119,00
VM03571	Park distance control system front or tail with four ultrasonic sensors, applicable for front or rear, adjustable sensitivy of sensors, acoustic signal, shipment includes control unit, buzzer and wiring. For for vehicles with 12V DC only	EUR 89,00
VM03986	running boards alloy, stainless steel polished, with plastic treads and exact fit, depth of the surface approx. 13 cm, carrying capacity per side 200 kg, no drills or welding necessary. Shipment includes one set of running boards for left and right side, mounting equipment, mounting instruction in German. Mounting at already existing mounting points of the car. time for mounting approx. one hour. incl. vehicle operating permit, no additional test acceptance or entry in car documents within the EC necessary	EUR 349,00
VM04317	Clamp lamp brackets Clamplamp holders, stainless steel brushed, for front guard, 63 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 63 mm	EUR 66,52
VM04317/S	Clamp lamp brackets Clamplamp holders, stainless steel black coated, for front guard, 63 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 63 mm	EUR 66,52
VM04716	side bars Stainless steel polished 76 mm, set consisting of two side skirts, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs.	EUR 436,00
VM04716/S	side bars Stainless steel black powder-coated 76 mm, set consisting of two side skirts with black treads, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs.	EUR 436,00
VM04717	side bars side bars, stainless steel polished, oval, with upstep plastic black, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. The inspection / acceptance at a technical inspection center is obligatory and can lead to further costs.	EUR 483,00
VM04717/S	side bars Side bars, stainless steel black powder-coated, oval, with upstep plastic black, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs.	EUR 483,00
VM04718	side bars design bars, stainless steel polished, mm, with step plateset in mix of alloy and rubber, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs.	EUR 506,00
VM04718/S	side bars Design bars, stainless steel black powder-coated, oval, with step plateset in mix of alloy and rubber, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small	EUR 506,00

Article No.	Description	Recommended Retail Price
	cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. The inspection / acceptance at a technical inspection center is obligatory and can lead to further costs.	EUR incl. 19% VAT.
VM04719	<p>side bars</p> <p>Stainless steel polished 63 mm, set consisting of two side skirts, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may result in additional expenses. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery.</p>	EUR 307,00
VM04719/S	<p>side bars</p> <p>Stainless steel black powder-coated, 63 mm, set consisting of two side skirts, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may result in additional expenses. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery.</p>	EUR 307,00
VM04720	<p>frontbar</p> <p>Frontguard, stainless steel, 63 mm with integrated cross-brace.</p> <p>Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view!</p> <p>Shipment of the accessory incl. mounting material, mounting instruction and EC type approval. No entry in car documents within the EC necessary.</p>	EUR 351,00
VM04720/S	<p>frontbar</p> <p>Frontguard, stainless steel black powder-coated, 63 mm with integrated cross brace.</p> <p>Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view!</p> <p>Shipment of the accessory incl. mounting material and EC type approval. No entry in car documents within the EC necessary.</p>	EUR 351,00
VM04721	<p>rearbar</p> <p>Stainless steel polished, 50 mm tube diameter, not to use in combination with tow-bar, incl. Component Test Report.</p> <p>Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may result in additional expenses.</p>	EUR 219,00
VM04721/S	<p>rearbar</p> <p>Stainless steel black powder-coated, 50 mm tube diameter, not to use in combination with tow-bar, incl. Component Test Report.</p> <p>Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may result in additional expenses.</p>	EUR 219,00
VMRBP793	<p>Rear Bumper Paint Protector</p> <p>high grad rear bumper protection manufactured in ABS plastic, ribbed surface, black, C.N.C. trimmed to ensure a perfect fit. Secured in position with 3M self-adhesive tape. Many models pick up on existing bolts or self-tapping screws. Quick and easy to fit. Full diagrammatic fitting instructions are supplied</p>	EUR 73,92
VT00540	<p>wheel arch</p> <p>universal, for front or rear, wide edition 25 - 32 mm width, length approx. 21, 5 cm, set two-piece for left and right, incl. double-sided adhesive tape</p>	EUR 34,90
VT00540/S	<p>wheel arch</p> <p>universal, for front or rear, slim edition 10 - 13 cm width, length approx. 21, 5 cm, set two-piece for left and right, incl. double-sided adhesive tape</p>	EUR 34,90
VT00540/XXL	<p>wheel arch</p> <p>universal for front or rear, wide edition 25 - 32 mm width, length approx. 70 cm, set two-piece for left and right, incl. double-sided adhesive tape</p>	EUR 48,20

All prices in EUR including VAT. Delivery is ex works, excluding shipping costs. Errors, omissions and intermediate sale without notice.
For all goods and services shall apply our currently valid general terms and conditions.

Updated: 24.2.2021

Article No. **Description**

Recommended Retail Price
EUR incl. 19% VAT.