

Article No.	Description	Recommended Retail Price
		EUR incl. 19% VAT.
2175	<b>Holder for breakaway cable</b> Holder for the breakaway cable, used to fasten the breakaway cable while driving with a trailer.	EUR 24,89
CR04333	<b>frontbar</b> Frontguard, stainless steel chromed, 60 mm with integrated cross tube 42 mm. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view! Shipment of the frontguard incl. mounting material and EC type approval. No entry in car documents within the EC necessary. NOTE: Additional head lights can not be mounted	EUR 449,00
CR04333/S	<b>frontbar</b> Frontguard, stainless steel black powder-coated 60 mm, with integrated cross tube 42 mm. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view! Shipment of the frontguard incl. mounting material and EC type approval. No entry in car documents within the EC necessary. NOTE: Additional head lights can not be mounted	EUR 449,00
CR04334	<b>side bars</b> Side bars stainless steel brushed, 60 mm, set consisting of two tubes, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses. NOTICE: Side bars for MAN TGE with medium wheel base and front wheel drive. Not for bed.	EUR 379,00
CR04334/AWD	<b>side bars</b> Side bars stainless steel brushed, 60 mm, set consisting of two tubes, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses. NOTICE: Side bars for MAN TGE with medium wheel base and rear or all whell drive. Not for bed.	EUR 409,00
CR04335	<b>side bars</b> Side bars stainless steel chromed, 80 mm, with trimmed in foot surfaces, set consisting of two pieces, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses. NOTE: Side bars for MAN TGE with medium wheel base (3.640 mm) and front wheel drive. Not for bed.	EUR 599,00
CR04335/S	<b>side bars</b> Side bars stainless steel black-powder coated, 80 mm, with trimmed in foot surfaces, set consisting of two pieces, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses.y NOTE: Side bars for MAN TGE with medium wheel base (3.640 mm) and front wheel drive. Not for bed.	EUR 599,00
CR04336	<b>side bars</b> stainless steel chromed, 80 mm, with four trimmed in foot surfaces, set consisting of two pieces, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses. NOTE: Side bars for MAN TGE with long wheel base (4.490 mm) and front wheel drive. Not for bed.	EUR 669,00
CR04336/S	<b>side bars</b> stainless steel black powder-coated, 80 mm, with four trimmed in foot surfaces, set consisting of two pieces, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses.y NOTE: Side bars for MAN TGE with long wheel base (4.490 mm) and front wheel drive. Not for bed.	EUR 669,00

Article No.	Description	Recommended Retail Price
		EUR incl. 19% VAT.
CR04551	<p><b>side bars</b> Side bars stainless steel brushed, 60 mm, set consisting of two tubes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs. NOTE Side bars for MAN TGE with long wheel base and front wheel drive. Not for bed. Please pay attention to shipment / ask for pricing</p>	EUR 397,00
CR04551/AWD	<p><b>side bars</b> Side bars stainless steel brushed, 60 mm, set consisting of two tubes, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses. NOTE Side bars for MAN TGE with long wheel base and rear wheel drive or all wheel drive. Not for bed. Please pay attention to shipment / ask for pricing</p>	EUR 427,00
CR04767	<p><b>side bars</b> stainless steel chromed, 80 mm, with three trimmed in foot surfaces, set consisting of two pieces, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses. NOTE: Side bars for MAN TGE with long wheel base (4.490 mm) and front wheel drive. Not for bed.</p>	EUR 669,00
CR04768	<p><b>side bars</b> stainless steel chromed, 80 mm, with four trimmed in foot surfaces, set consisting of two pieces, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses. NOTE Side bars for MAN TGE with long wheel base (4.490 mm) and rear wheel drive or all wheel drive. Not for bed.</p>	EUR 669,00
CR04769	<p><b>side bars</b> Side bars stainless steel chromed, 80 mm, with trimmed in foot surfaces, set consisting of two pieces, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses. NOTE: Side bars for MAN TGE with medium wheel base (3.640 mm) and not for front wheel drive. Not for bed.</p>	EUR 599,00
E-DB14	<p><b>Number plate holder</b> EU-Norm, polished stainless steel, with all stainless steel reverse, 52 cm, slightly curved (12 mm measured in the centre), single-line, external dimensions L/H/D: 525/124/9 mm. Design edition. The lower strip at the number plate holder can be removed due to a spring bolt lock. No special tool necessary. Ideal also for transferable licence plates. Plain, understated and high grade manufactured. Stainless steel 0.6 mm thickness. This results in incredibly rugged and long-lasting. The surface is polishable. There is no sensitive chromium coating. 100% manufactured in the EU. Price per one license plate holder</p>	EUR 34,95
E-DB14SE	<p><b>Number plate holder security</b> EU-Norm, polished stainless steel, with all stainless steel reverse, 52 cm, slightly curved (12 mm measured in the centre), single-line, external dimensions L/H/D: 525/124/9 mm Security edition. Better protection against theft as the lower strip at the number plate holder is lateral anchored with special security screws. Suitable tools as well as backup screw are included in scoop of delivery. Plain, understated and high grade manufactured. Stainless steel 0.6 mm thickness. This results in incredibly rugged and long-lasting. The surface is polishable. There is no sensitive chromium coating. 100% manufactured in the EU. Price per one license plate holder</p>	EUR 44,95

Article No.	Description	Recommended Retail Price
		EUR incl. 19% VAT.
E-DG13	<p><b>Number plate holder</b>                      EU Norm, stainless steel polished, with all stainless steel backside, 52 cm straight, single-line. Outside dimension L/H/D: 525/124/9 mm.                      Design edition. The lower strip at the number plate holder can be removed due to a spring bolt lock. No special tool necessary. Ideal also for transferable licence plates.                      Plain, understated and high grade manufactured. Stainless steel 0.6 mm thickness. This results in incredibly rugged and long-lasting. The surface is polishable. There is no sensitive chromium coating. 100% manufactured in the EU.                      Price for one license plate holder</p>	EUR 34,95
E-DG13SE	<p><b>Number plate holder security</b>                      EU Norm, stainless steel polished, with all stainless steel backside, 52 cm straight, single-line. Outside dimension L/H/D: 525/124/9 mm.                      Security edition. Better protection against theft as the lower strip at the number plate holder is lateral anchored with special security screws. Suitable tools as well as backup screw are included in scoop of delivery.                      Plain, understated and high grade manufactured. Stainless steel 0.6 mm thickness. This results in incredibly rugged and long-lasting. The surface is polishable. There is no sensitive chromium coating. 100% manufactured in the EU.                      Price per one license plate holder</p>	EUR 44,95
IP00645	<p><b>park distance control system tail</b>                      park assistance system with 4 radio-controlled sensors and multifunctional display. Individual programming handy from from drivers seat. No need of cabling inside of vehicle interior, sensors are paintable, easy mounting.</p>	EUR 259,00
IP00645F	<p><b>park distance control system front</b>                      park assistance system with 4 radio-controlled sensors and multifunctional display. Individual programming handy from from drivers seat. No need of cabling inside of vehicle interior, sensors are paintable, easy mounting.</p>	EUR 259,00
IP00645FH	<p><b>park distance control system front and rear</b>                      with 8 radio-controlled sensors and multifunctional display. Individual programming handy from from drivers seat. No need of cabling inside of vehicle interior, sensors are coatable</p>	EUR 439,90
IP03542	<p><b>park distance control system front</b>                      park assistance system with 4 radio-controlled sensors and multifunctional display. Incl. GPS module for vehicles where it is difficult to get access to the speed signal. Individual programming handy from from drivers seat. No need of cabling inside of vehicle interior, sensors are paintable, easy mounting.</p>	EUR 279,00
IP03543	<p><b>park distance control system front and rear</b>                      park assistance system with 4 radio-controlled sensors and multifunctional display. Incl. GPS module for vehicles where it is difficult to get access to the speed signal. Individual programming handy from from drivers seat. No need of cabling inside of vehicle interior, sensors are paintable, easy mounting</p>	EUR 459,00
KL02304	<p><b>dog ramp</b>                      innovative ramp loader, lateral profiles in alloy, rubberized and structured tread, load capacity up to 85 kg when shared by 4 pads, steplessly variable from 110 to 182 cm, width 43 cm, stow dimension 110 x 43 cm, weight 7, 5 kg</p>	<p><del>EUR 139,00</del>                      EUR 119,00*</p>
KL02660	<p><b>dog ramp</b>                      Dog ladder, innovative ramp loader, tripple telescopic, high grade mix of alloy and plastic. "SuperGrip" on running surface for safe step. The ramp is infinitely adjustable. Angled surface area with foamed cushion. Inkl. fixation belt for stowage if not in use. Makes it easier to get in and off nearly every car. Load capacity up to 85 kg when shared by 4 pads, steplessly variable from 73 to 163 cm, width 41 cm, stow dimension (W x L x H in cm) approx. 41 x 73 x 12, weight approx. 5, 5 kg.</p>	EUR 169,90
KL04285	<p><b>Dog Ramp XL</b>                      Dog ladder in XL, innovative ramp loader, tripple telescopic, high grade mix of alloy and plastic. "SuperGrip" on running surface for safe step. The ramp is infinitely adjustable. Angled surface area with foamed cushion. Inkl. fixation belt for stowage if not in use. Makes it easier to get in and off nearly every car. Load capacity up to 85 kg when shared by 4 pads, steplessly variable from 83 to 183 cm, width 41 cm, stow dimension (W x L x H in cm) approx. 41 x 83 x 12, weight approx. 7, 6 kg.</p>	EUR 199,90
NL00242	<p><b>seat heater</b>                      Seat heating, universal for back and seat areas, inclusive electrical kit and round switches with two stages. Due to carbon technic easy to fit to the surfaces.                      NOTE: Only for cars without glued seat surfaces!</p>	EUR 99,00
PE01807	<p><b>bumper strips</b>                      plastics PUR, edition rounded-rounded, for front and rear. Mounting via adhesive, dimensions L/W/H in mm: 355/49/11. Included in delivery: strip set consisting of 2 pieces with double-faced adhesive tape and mounting instruction. Universal item, not vehicle specific!</p>	EUR 19,90

Article No.	Description	Recommended Retail Price EUR incl. 19% VAT.
VM01541E	<b>parking sensor for reverse</b> including four sensors each 18 mmm, LED balk display and accoustic signal	EUR 119,00
VM01542E	<b>parking sensor for front</b> with four sensors each 18 mm, LED bar display, acustic signal and additional cutout switch	EUR 119,00
VM03498	<b>Headlamp Hella LED Lightbar 350</b> LED Driving High Beam Light in shape of a compact LED light bar with Ref. 20. 350 mm length, low construction height and low weight of only 700g. Developed for the special requirements of Offroad vehicles as well as for aerodynamic mounting on cabines of trucks. Dimensions: length 350 mm, construction height 40 mm (56 mm incl. holder), construction depth 53 mm (81 mm incl. holder)  <ul style="list-style-type: none"> <li>- 12 high performance automotive grade LEDs</li> <li>- Housing back with innovative rib design</li> <li>- Thermally conductive non-metal housing</li> <li>- Suitable for horizontal mounting</li> <li>- Highly adaptable mounting systemv</li> <li>- Low power consumption, 12 V / 25 W, 24 V / 25 W (Multivolt)</li> <li>- High Beam with Ref. 20</li> <li>- ECE-type-approved E24 0008, for use on public roads</li> </ul>	EUR 279,90
VM03499	Price per piece <b>Headlamp Hella Comet 200 LED</b> Single head lamp with 2 poles connection line 1.200 mm (with open ends), fixation holder, integral LED illuminant. Dimensions: diameter 144 mm, height 159 mm (ncl. holder), construction depth 71 mm (ideal for limited mounting areas).  <ul style="list-style-type: none"> <li>- Suitable for passenger car, SUV, transporter, mobile home</li> <li>- Modern high performance LED alternative tot compact halogen auxiliary driving lamps</li> <li>- Distinctive light design consistant with LED main head lamps</li> <li>- Effective heat conduction of the LED eectronic due to cooling ribs on the back of the housing</li> <li>- Suitable for horizontal mounting</li> <li>- Highly adaptable mounting system</li> <li>- Suitable for upright mounting</li> <li>- Low power consumption, 12 V / 13</li> <li>- High Beam with Ref. 12,5</li> <li>- ECE-type-approved (E1) 112-01 3965, SAE Y14 TF62 und CCC for use on public roads</li> </ul>	EUR 239,00
VM03571	Price per piece <b>Park Distance Control front of rear</b> with four ultrasonic sensors, applicable for front or rear, adjustable sensitivy of sensors, acoustic signal, shipment includes control unit, buzzer and wiring. For for vehicles with 12V DC only	EUR 89,00
VM04947	<b>Coasters for cup holders</b> Coasters made with enviro-friendly TPE material. Added sidewall protection that cover the bottom and sides of your cup holder that catches and holds spills, condensation, crumbs and other messes. Produced with a unique textured and ribbed pattern that ensures your drink will never get stuck allowing your beverage to perspire, while raising it away from the mess. Molded, specialized finger handles make removal and cleaning a breeze. This is a universal item and not a vehicle specific product. Diameter approx. 8 cm, high sidewalls approx. 2 cm, set consisting of four coasters.	EUR 11,90
VMRBP664	<b>Rear Bumper Paint Protector</b> Bumper protection, manufactured in high quality ABS plastic, black, C.N.C. trimmed to ensure a perfect fit. Secured in position with 3M self-adhesive tape. Many models pick up on existing bolts or self-tapping screws. Quick and easy to fit. Full diagramatic fitting instructions are supplied.	EUR 94,00
VT00540	<b>wheel arch</b> universal, for front or rear, wide edition 25 - 32 mm width, length approx. 21, 5 cm, set two-piece for left and right, incl. double-sided adhesive tape	EUR 34,90
VT00540/S	<b>wheel arch</b> universal, for front or rear, slim edition 10 - 13 cm width, length approx. 21, 5 cm, set two-piece for left and right, incl. double-sided adhesive tape	EUR 34,90
VT00540/XXL	<b>wheel arch</b> universal for front or rear, wide edition 25 - 32 mm width, length approx. 70 cm, set two-piece for left and right, incl. double-sided adhesive tape	EUR 48,20

\* SALE - while stocks last

<b>Article No.</b>	<b>Description</b>	<b>Recommended Retail Price</b>
--------------------	--------------------	---------------------------------

EUR incl. 19% VAT.

All prices in EUR including VAT. Delivery is ex works, excluding shipping costs. Errors, omissions and intermediate sale without notice.  
For all goods and services shall apply our currently valid general terms and conditions.

Updated: 16.7.2019

**Article No.**      **Description**

**Recommended Retail Price**  
EUR incl. 19% VAT.