

Article No.	Description	Recommended Retail Price EUR incl. 19% VAT.
2175	Holder for breakaway cable Holder for the breakaway cable, used to fasten the breakaway cable while driving with a trailer.	EUR 24,89
A022600	bike carrier Strada DL 2 for two bicycles, mounting on towel bar. Illuminating system integrated, Payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval. Expandable to carry four bykes with item A022610. Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar. Details of the rear bike carrier Strada DL3:	EUR 419,00
A022601	bike carrier Strada DL 3 for three bicycles, mounting on towel bar. Illuminating system integrated, maximum payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval. Expandable to carry four bikes with item A022611 (therefor separate anchoring necessary). Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar. Details of the rear bike carrier Strada DL3:	EUR 518,99
A022610	add-on set rack for 3rd bike with spacer, for rear bike carrier Strada Sport M 2 and Strada DL 2. Maximum payload 45 kg*. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.	EUR 92,82
A022611	add-on set for 4th bicycle, for bicycle-carrier Strada DL.3. Maximum payload 63 kg*. Only allowed when fourth bicycle is anchored separately! * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.	EUR 129,71
A022624	add-on set rack for 4th bike with spacer, for bicycle-carrier Strada Sport M 3, maximum payload 68 kg*. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.	EUR 92,82
A022635	DRIVE-UP RAIL Loading aid for Strada Sport, E-Bike and DL bicycle tow bar carriers, Matt anodized aluminium / PPT	EUR 42,84
A022684	bike carrier Strada Sport M 2 for two bicycles, mounting on towel bar. Illuminating system integrated, maximum payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval. Expandable to carry four bykes with item A022610. Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar. Details of rear bike carrier Strada Sport M3:	EUR 354,72
A022685	bike carrier Strada Sport M 3 for three bicycles, mounting on towel bar. Illuminating system integrated, Payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval. Expandable to carry four bikes with item A022624. Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar. Details of rear bike carrier Strada Sport M3:	EUR 390,00
A022686	bike carrier Strada eBike M Foldable carrier for two e-bikes, mounting on tow-bar, lighting system with light protection, extra long gaps from bike to bike, maximum payload 60 kg*, frame diameters from 25 to 80 mm, tyre width 18 - 29 inches, weight 14 kg, dimensions in mm 1.000 x 590 x 200 (folded frame), EC operating permit.	EUR 409,00

Article No.	Description	Recommended Retail Price
	<p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p>	EUR incl. 19% VAT.
A022696	<p>Bike carrier Strada eBike ML</p> <p>Foldable carrier for two e-bikes, mounting on tow-bar, lighting system with light protection, extra long gaps from bike to bike, maximum payload 60 kg*, frame diameters from 25 to 80 mm, tyre width 18 - 29 inches, weight 15, 5 kg, dimensions in mm 1.200 x 590 x 200 (folded frame), EC operating permit.</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p>	EUR 429,99
A022750	<p>bike carrier Strada Vario 2</p> <p>ultimativ fold carrier for two bikes or e-bikes, mounting on towel bar. Illuminatiing system integrated, maximum payload 60 kg*, for border diameter from 25 to 80 mm, tyre dimension 18-29 inches, weight 16, 9 kg, dimensions in mm 1.140 x 600 x 740, stow dimension in mm 635 x 395 x 630, EU type approval**</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p> <p>** Vertical load of the tow bar when loaded with two bikes must be at least 50 kg.</p> <p>Details of rear bike carrier Strada Vario2:</p>	EUR 548,99
A022751	<p>bike carrier Strada Vario 3</p> <p>ultimativ fold carrier for two bikes or e-bikes, mounting on towel bar. Illuminatiing system integrated, Payload 66 kg, for border diameter from 25 to 80 mm, tyre dimension 18-29 inches, weight 19, 9 kg, dimensions in mm 1.140 x 730 x 690, stow dimension in mm 635 x 470 x 730, EC type approval</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p> <p>** Vertical load of the tow bar when loaded with three bikes must be at least 60 kg.</p> <p>Details of rear bike carrier Strada Vario3:</p>	EUR 649,00
A082227	<p>Bike carrier Giro AF+</p> <p>for roof bar, matt anodized aluminium, bikes from 20 to 29 wheel size, for all regular tyre sizes, including 3.0" wide Plus-Tyres, automatic holding function, theft protection for bike and carrier, holds round frames from 22 to 80 mm and oval frams up to 100 x 80 mm, for steel cross bars, 32 x 22 mm, maximum bike weight 17 kg. City Crash certified. Not suitable for e-Bikes. Roof bar as well as bike are not included in scope of delivery.</p>	EUR 119,00
A082291	<p>Roof box CASAR M Lava Structured</p> <p>Attractive roof box in lava-structured, material: ABS / ASA, lid opening on right side, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, Master Fit fast-mounting, central locking. Dimensions L / W / H 177 x 77 x 42 cm, volume 380 L, empty weight 14.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is aa universal item and not a vehicle specific product.</p>	EUR 369,00
A082292	<p>Roof box CASAR L Brilliant Black</p> <p>Attractive roof box in Brilliant Black, material: ABS / PMMA, lid opening on both sides, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 191 x 81 x 42 cm, volume 420 L, empty weight 17.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty.</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p> <p>- Symbolic illustration</p>	EUR 499,00

Article No.	Description	Recommended Retail Price EUR incl. 19% VAT.
A082293	<p>Roof box CASAR L Lava Structured Attractive roof box in Lava Structured, material: ABS / ASA, lid opening on both sides, optimized values for aerodynamics. Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 191 x 81 x 42 cm, volume 420 L, empty weight 17.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product. - Symbolic illustration</p>	EUR 469,00
A082294	<p>Roof box CASAR XL Brilliant Black Attractive roof box in Brillant Black, material: ABS / PMMA, lid opening on both sides, optimized values for aerodynamics. Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 215 x 90 x 43 cm, volume 540 L, empty weight 20.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty. The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p>	EUR 574,16
A082295	<p>Roof box CASAR XL Lava Structured Attractive roof box in Lava Structured, material: ABS / ASA, lid opening on both sides, optimized values for aerodynamics. Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 215 x 90 x 43 cm, volume 540 L, empty weight 20.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty. The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p>	EUR 490,49
A082704	<p>ski carrier NOVA 4 Ski and snowboard carrier attachment, set for 4 pairs of skis or 1 snowboard and 1 pair of skis, lockable dirt catch protects against dust and dirt. Total width approx. 570 mm, loading area approx. 400 mm, depth of rubber pad approx. 60 mm. Some bindings on boards or skis require greater distances to the vehicle roof. In the Nova basic equipment, the adapters are included. This carrier attachment is suitable for square support tube 32 x 22 mm or aluminum profiles and is not to be used with the original railing of the vehicle manufacturer.</p>	EUR 139,00
A082706	<p>ski carrier NOVA 6 Ski and snowboard carrier attachment, set for 6 pairs of skis or 2 snowboard and 1 pair of skis, lockable dirt catch protects against dust and dirt. Total width approx. 780 mm, loading area approx. 610 mm, depth of rubber pad approx. 60 mm. Some bindings on boards or skis require greater distances to the vehicle roof. In the Nova basic equipment, the adapters are included. This carrier attachment is suitable for square support tube 32 x 22 mm or aluminum profiles and is not to be used with the original railing of the vehicle manufacturer.</p>	EUR 168,99
A089048	<p>surf kit for roof bar Rubber bonded, powder-coated, steel, simple mounting, set for transport of one surfboard consisting of four metall brackets, two straps each 2, 50 m and two mast holders, roof luggage rack not included in delivery. This extension is not to use in combination with the original rail racks of the car manufacturer. Mounting only on square bars 32 x 32 mm.</p>	EUR 103,53
AN02472	<p>Clamp lamp brackets 42 mm clamplamp holders, stainless steel, for front guard, 42 mm tube, set consisting of two holders. ADVICE: Only to use for tube diameter of 42 mm</p>	EUR 26,18
AN02472/S	<p>Clamp lamp brackets 42 mm clamplamp holders, stainless steel, black dull powder-coated, for front guard, 42 mm tube, set consisting of two holders. ADVICE: Only to use for tube diameter of 42 mm</p>	EUR 26,18
AN02473	<p>Clamp lamp brackets 51 mm Clamplamp holders, stainless steel, for front guard, 51 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 51 mm</p>	EUR 29,75
AN02473/S	<p>Clamp lamp brackets 51 mm Clamplamp holders, stainless steel, black dull powder-coated, for front guard, 51 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 51 mm</p>	EUR 29,75
AN02474	<p>Clamp lamp brackets 60 mm Clamplamp holders, stainless steel, for front guard, 60 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 60 mm</p>	EUR 30,94

Article No.	Description	Recommended Retail Price EUR incl. 19% VAT.
AN02474/S	<p>Clamp lamp brackets 60 mm Clamplamp holders, stainless steel, black dull powder-coated, for front guard, 60 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 60 mm</p>	EUR 30,94
AN02475	<p>Clamp lamp brackets 70 mm Clamplamp holders, stainless steel, for front guard, 70 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 70 mm</p>	EUR 34,51
AN02475/S	<p>Clamp lamp brackets 70 mm Clamplamp holders, stainless steel, black dull powder-coated, for front guard, 70 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 70 mm</p>	EUR 34,51
AN02476	<p>Clamp lamp brackets 76 mm Clamplamp holders, stainless steel, for front guard, 76 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 76 mm</p>	EUR 36,89
AN02476/S	<p>Clamp lamp brackets 76 mm Clamplamp holders, stainless steel, black dull powder-coated, for front guard, 76 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 76 mm</p>	EUR 36,89
AN05352	<p>frontbar Frontguard, stainless steel black plastic coated 60 mm with integrated cross tube 42 mm. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view! Shipment incl. mounting material and EC type approval. No entry in car documents within the EC necessary.</p>	EUR 399,00
AN05352/S	<p>frontbar Frontguard, stainless steel black plastic coated 60 mm with integrated cross tube 42 mm. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view! Shipment incl. mounting material and EC type approval. No entry in car documents within the EC necessary.</p>	EUR 399,00
AN05353	<p>frontbar Frontguard, stainless steel polished, 51 mm. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view! Shipment incl. mounting material and EC type approval. No entry in car documents within the EC necessary.</p>	EUR 339,00
AN05354	<p>side bars Side step bars polished stainless steel 51 mm raw diameter, set consisting of two pipes with black stainless steel end caps, including parts certificate. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs.</p>	EUR 353,00
CB05110	<p>carbox boot liner black, nonskid material upside, easy to clean, resistant against acid, petrol and saltwater, dimensionally stable from -40°C to +80°C (at high incident solar radiation), no odor emission (material consists of PP/PE plastics), accurately fitting - no loss in space within the boot. Dimensions (L x W x H) in mm approx. 930 x 1.210 x 310 weight approx. 5, 6 kg. The multimat is included in scope of delivery. NOTE: Carbox for OPEL Combo Life (E) 5 seater with short wheel base</p>	EUR 278,89
CB05111	<p>trunkliner Boot liner with app. 5 cm high border, black, nonskid material upside, easy to clean, resistant against acid, petrol and saltwater, dimensionally stable from -40°C to +80°C (at high incident solar radiation), no odor emission, accurately fit. Dimensions L x W x H in mm: approx. 1.000 x 1.200 x 50, weight approx. 2, 7 kg. NOTE: Trunkliner for OPEL Combo Life (E) 5 seater with short wheel base</p>	EUR 97,88
CB05112	<p>carbox boot liner black, nonskid material upside, easy to clean, resistant against acid, petrol and saltwater, dimensionally stable from -40°C to +80°C (at high incident solar radiation), no odor emission (material consists of PP/PE plastics), accurately fitting - no loss in space within the boot. Dimensions (L x W x H) in mm approx. 1.650 x 1.450 x 310 weight approx. 11, 0 kg. The multimat is included in scope of delivery. NOTE: Carbox for OPEL Combo Cargo (E) box van, short wheelbase, with divider, with and without wooden</p>	EUR 389,89

Article No.	Description	Recommended Retail Price EUR incl. 19% VAT.
CB05200	floor Multi mat Loading sill protection and boot mat, Velcro snaps for attachment to the carpet. Dimension approx. 80 x 60 cm. This mat is a universal item and not a vehicle specific product.	EUR 29,99
CRLH060/S	Clamp lamp brackets 60 mm Stainless steel black coated, for front guard with 60 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 60 mm	EUR 42,00
E-DB14	Number plate holder EU-Norm, polished stainless steel, with all stainless steel reverse, 52 cm, slightly curved (12 mm measured in the centre), single-line, external dimensions L/H/D: 525/124/9 mm. Design edition. The lower strip at the number plate holder can be removed due to a spring bolt lock. No special tool necessary. Ideal also for transferable licence plates. Plain, understated and high grade manufactured. Stainless steel 0.6 mm thickness. This results in incredibly rugged and long-lasting. The surface is polishable. There is no sensitive chromium coating. 100% manufactured in the EU. Price per one license plate holder NOTE: Number plate holder for front	EUR 34,95
E-DB14SE	Number plate holder security EU-Norm, polished stainless steel, with all stainless steel reverse, 52 cm, slightly curved (12 mm measured in the centre), single-line, external dimensions L/H/D: 525/124/9 mm Security edition. Better protection against theft as the lower strip at the number plate holder is lateral anchored with special security screws. Suitable tools as well as backup screw are included in scoop of delivery. Plain, understated and high grade manufactured. Stainless steel 0.6 mm thickness. This results in incredibly rugged and long-lasting. The surface is polishable. There is no sensitive chromium coating. 100% manufactured in the EU. Price per one license plate holder NOTE: Number plate holder for front	EUR 44,95
E-DG13	Number plate holder EU Norm, stainless steel polished, with all stainless steel backside, 52 cm straight, single-line. Outside dimension L/H/D: 525/124/9 mm. Design edition. The lower strip at the number plate holder can be removed due to a spring bolt lock. No special tool necessary. Ideal also for transferable licence plates. Plain, understated and high grade manufactured. Stainless steel 0.6 mm thickness. This results in incredibly rugged and long-lasting. The surface is polishable. There is no sensitive chromium coating. 100% manufactured in the EU. Price for one license plate holder NOTE: Number plate holder for rear	EUR 34,95
E-DG13SE	Number plate holder security EU Norm, stainless steel polished, with all stainless steel backside, 52 cm straight, single-line. Outside dimension L/H/D: 525/124/9 mm. Security edition. Better protection against theft as the lower strip at the number plate holder is lateral anchored with special security screws. Suitable tools as well as backup screw are included in scoop of delivery. Plain, understated and high grade manufactured. Stainless steel 0.6 mm thickness. This results in incredibly rugged and long-lasting. The surface is polishable. There is no sensitive chromium coating. 100% manufactured in the EU. Price per one license plate holder NOTE: Number plate holder for rear	EUR 44,95
HE01002	front fog lights Hella FF40 set consisting of two high-beam head lights including professional wiring-kit. No Clamp lamp brackets included in scope of delivery, please order separately; Dimension in mm B 89, 7 X H 59, 7 X T 78, 3	EUR 103,53
HE01003	high-beam head lights Hella FF50 set consisting of two high-beam head lights Hella FF50 including professional wiring-kit. No Clamp lamp brackets included in scope of delivery, please order separately, dimensions in mm W 117, 4 x H 72, 9 x D 96, 2	EUR 72,00
HE01005	front fog lights Hella FF50 set consisting of two front fog lamps including professional wiring-kit. No Clamp lamp brackets included in scope of delivery, please order separately; Dimensions in mm W 117, 4 X H 72, 9 X D 96, 2	EUR 72,00
HE01006	High-beam headlight Hella FF75 set consisting of two high-beam head lights including professional wiring-kit. No Clamp lamp brackets included in scope of delivery, please order separately; Dimensions in mm W 155, 5 X H 63, 7 X D 97, 5	EUR 73,28
HE01008	front fog lights Hella FF75 set consisting of two front fog lamps including professional wiring-kit. No Clamp lamp brackets included in scope of delivery, please order separately; Dimensions in mmm W 155, 5 X H 63, 7 X D 97, 5	EUR 73,19

Article No.	Description	Recommended Retail Price
		EUR incl. 19% VAT.
HE01009	high-beam headlights Hella Comet FF450 set consisting of two square and prominent H3 high-beam head lights, 12 V / 55 W, with rugged black plastic cover, for vertical and hanging mounting, mounting parts and manual, ECE-type approved. No Clamp lamp brackets included in scope of delivery, please order separately	EUR 113,05
HE01010	fog-lights Hella Comet FF450 set consisting of two square and prominent H3 front fog lights, 12 V / 55 W, with rugged black plastic cover, for vertical and hanging mounting, mounting parts and manual, ECE-type approved. No Clamp lamp brackets included in scope of delivery, please order separately	EUR 113,05
HE01011	high-beam headlights Hella Comet FF500 set consisting of two classic and round H3 high-beam head lights, 12 V / 55 W, with rugged black plastic cover, for vertical, mounting parts and manual, ECE-type approved, please order lamp bracket separately	EUR 113,05
HE01012	fog-lights Hella Comet FF500 set consisting of two H3 front fog lights, 12 V / 55 W, with rugged black plastic cover, for vertical and hanging mounting, mounting parts and manual, ECE-type approved please order lamp bracket separately	EUR 113,05
HE01013	high-beam headlights Hella Comet FF550 set consisting of two modern and elegant H3-high-beam head lights, 12 V / 55 W, rugged black plastic covers, for vertical and hanging mounting, mounting parts and manual, ECE-ttype approved. No Clamp lamp brackets included in scope of delivery, please order separately	EUR 113,05
HE01014	fog-lights Hella Comet FF550 set consisting of two modern and elegant H3 front fog lights, 12 V / 55 W, with rugged black plastic cover, for vertical and hanging mounting, mounting parts and manual, ECE-ttype approved please order lamp bracket separately	EUR 113,05
IP00645	park distance control system tail park assistance system with 4 radio-controlled sensors and multifunctional display. Individual programming handy from from drivers seat. No need of cabling inside of vehicle interior, sensors are paintable, easy mounting.	EUR 259,00
IP00645F	park distance control system front park assistance system with 4 radio-controlled sensors and multifunctional display. Individual programming handy from from drivers seat. No need of cabling inside of vehicle interior, sensors are paintable, easy mounting.	EUR 259,00
IP00645FH	park distance control system front and rear with 8 radio-controlled sensors and multifunctional display. Individual programming handy from from drivers seat. No need of cabling inside of vehicle interior, sensors are coatable	EUR 439,90
IP03542	park distance control system front park assistance system with 4 radio-controlled sensors and multifunctional display. Incl. GPS module for vehicles where it is difficult to get access to the speed signal. Individual programming handy from from drivers seat. No need of cabling inside of vehicle interior, sensors are paintable, easy mounting.	EUR 279,00
IP03543	park distance control system front and rear park assistance system with 4 radio-controlled sensors and multifunctional display. Incl. GPS module for vehicles where it is difficult to get access to the speed signal. Individual programming handy from from drivers seat. No need of cabling inside of vehicle interior, sensors are paintable, easy mounting	EUR 459,00
KL02660	dog ramp Dog ladder, innovative ramp loader, tripple telescopic, high grade mix of alloy and plastic. "SuperGrip" on running surface for safe step. The ramp is infinitely adjustable. Angled surface area with foamed cushion. Inkl. fixation belt for stowage if not in use. Makes it easier to get in and off nearly every car. Load capacity up to 85 kg when shared by 4 pads, steplessly variable from 73 to 163 cm, width 41 cm, stow dimension (W x L x H in cm) approx. 41 x 73 x 12, weight approx. 5, 5 kg.	EUR 169,90
KL04285	Dog Ramp XL Dog ladder in XL, innovative ramp loader, tripple telescopic, high grade mix of alloy and plastic. "SuperGrip" on running surface for safe step. The ramp is infinitely adjustable. Angled surface area with foamed cushion. Inkl. fixation belt for stowage if not in use. Makes it easier to get in and off nearly every car. Load capacity up to 85 kg when shared by 4 pads, steplessly variable from 83 to 183 cm, width 41 cm, stow dimension (W x L x H in cm) approx. 41 x 83 x 12, weight approx. 7, 6 kg.	EUR 199,90
KL04846	Carlok Deluxe Anti-theft device made of hardened steel with square safety key in the color silver. Please note: This anti-theft device / steering wheel claw is not suitable for vehicles with a steering wheel thickness of more than 34 mm. Not suitable for VW T5 / T6 and minibuses.	EUR 54,95
KL04962	Dirt mat bumper protection, universal, black, approx. 116 x 57 cm.. Mounting via hook-and-loop fastener. To use only in combination with boot liner.	EUR 25,00
KL04970	Metall Grate Dog Guard for secure partition between the boot space and the passenger compartment, steel mesh, above second seat row. Steel mesh size approx. 40 mm. The grid was developed as well as manufactured according to ISO 27955 / ISO 27956 and has been crash tested. It is easy to remove. For mounting there is no drill	EUR 195,00

Article No.	Description	Recommended Retail Price
	necessary. Shipment including mounting kit. NOTE: Dog grille above the rear seat. For vehicles WITHOUT panoramic roof with roof gallery and ambient lighting Fits L1 (4.403 mm) and L2 (4.753 mm)	
KL04971	Boot liner Trunk tray, made of high-quality synthetic leather, double-lying, black with red quilting, tailor-made, optimally protects the trunk from dirt, animal hair and moisture, such as water, oil and many chemicals as well as scratches and bumps. The hard-wearing surface is waterproof and easy to clean. The textile lining is completely covered. The loading space lining is inserted quickly and easily. When not in use, it can be removed and folded up to save space. The luggage compartment lining protects the trunk right up to the loading sill and is therefore ideal for transporting all kinds of dirty objects. NOTE: Cargo compartment liner for short wheelbase (2.785 mm) vehicles, 5 seater, flat cargo floor	EUR 159,00
KL04991	Boot liner trunkliner, black, tailored, protects the boot against dust, animal hairs and wetness like water, oil and several chemicals as well as scratches and knocks. The flexible tough lamination with anti-slip surface is flame-retardant, water-resistant and easy to clean. The textile lining of the cars boot is covered completely. The boot liner is easy to insert. If not in use is also easy to remove and to fold. The liner protects the boot from head-rests up to the boot sill. It is well suited for transportation of any dirty item. Depending on the boot surface the trunkliner will be mounted with hook-and-loop fasteners or push-buttons. Bumper protection is not enclosed in scope of delivery.	EUR 159,00
KL05132	Boot liner Trunk tray, made of high-quality synthetic leather, double-lying, black with red quilting, tailor-made, optimally protects the trunk from dirt, animal hair and moisture, such as water, oil and many chemicals as well as scratches and bumps. The hard-wearing surface is waterproof and easy to clean. The textile lining is completely covered. The loading space lining is inserted quickly and easily. When not in use, it can be removed and folded up to save space. The luggage compartment lining protects the trunk right up to the loading sill and is therefore ideal for transporting all kinds of dirty objects. NOTE: Cargo area lining for vehicles with a long wheelbase and flat cargo floor	EUR 206,00
KL05133	Metal Grate Dog Guard for secure partition between the boot space and the passenger compartment, steel mesh, above second seat row. Steel mesh size approx. 40 mm. The grid was developed as well as manufactured according to ISO 27955 / ISO 27956 and has been crash tested. It is easy to remove. For mounting there is no drill necessary. Shipment including mounting kit. NOTE: Dog grille above the rear seat, 5-seat. For vehicles WITH panoramic roof and storage compartment. Fits L1 (4.403mm) and L2 (4.753 mm)	EUR 195,00
NL00242	seat heater Seat heating, universal for back and seat areas, inclusive electrical kit and round switches with two stages. Due to carbon technic easy to fit to the surfaces. NOTE: Only for cars without glued seat surfaces!	EUR 99,00
PE01807	bumper strips plastics PUR, edition rounded-rounded, for front and rear. Mounting via adhesive, dimensions L/W/H in mm: 355/49/11. Included in delivery: strip set consisting of 2 pieces with double-faced adhesive tape and mounting instruction. Universal item, not vehicle specific!	EUR 19,90
VM01541E	parking sensor for reverse including four sensors each 18 mmm, LED balk display and accoustic signal	EUR 119,00
VM01542E	parking sensor for front with four sensors each 18 mm, LED bar display, acustic signal and additional cutout switch	EUR 119,00
VM03498	Headlamp Hella LED Lightbar 350 LED Driving High Beam Light in shape of a compact LED light bar with Ref. 20. 350 mm length, low construction height and low weight of only 700g. Developed for the special requirements of Offroad vehicles as well as for aerodynamic mounting on cabins of trucks. Dimensions: length 350 mm, construction height 40 mm (56 mm incl. holder), construction depth 53 mm (81 mm incl. holder) <ul style="list-style-type: none"> - 12 high performance automotive grade LEDs - Housing back with innovative rib design - Thermally conductive non-metal housing - Suitable for horizontal mounting - Highly adaptable mounting systemv - Low power consumption, 12 V / 25 W, 24 V / 25 W (Multivolt) - High Beam with Ref. 20 - ECE-type-approved E24 0008, for use on public roads 	EUR 279,90
	Price per piece	

Article No.	Description	Recommended Retail Price EUR incl. 19% VAT.
VM03499	<p>Headlamp Hella Comet 200 LED Single head lamp with 2 poles connection line 1.200 mm (with open ends), fixation holder, integral LED illuminant. Dimensions: diameter 144 mm, height 159 mm (ncl. holder), construction depth 71 mm (ideal for limited mounting areas).</p> <ul style="list-style-type: none"> - Suitable for passenger car, SUV, transporter, mobile home - Modern high performance LED alternative tot compact halogen auxiliary driving lamps - Distinctive light design consistant with LED main head lamps - Effective heat conduction of the LED electronic due to cooling ribs on the back of the housing - Suitable for horizontal mounting - Highly adaptable mounting system - Suitable for upright mounting - Low power consumption, 12 V / 13 - High Beam with Ref. 12,5 - ECE-type-approved (E1) 112-01 3965, SAE Y14 TF62 und CCC for use on public roads 	EUR 239,00
VM03571	<p>Price per piece Park Distance Control front of rear with four ultrasonic sensors, applicable for front or rear, adjustable sensitivy of sensors, acoustic signal, shipment includes control unit, buzzer and wiring. For for vehicles with 12V DC only</p>	EUR 89,00
VM03921	<p>roof bar Signo roof rack carrier, alloy with aerodynamic profile 79, 5 x 28, 5 mm, bars with flute, huge loading width, mounting tools with coded keys for easy mounting lock and theft protection</p>	EUR 199,90
VM03922	<p>roof bar Signo roof rack carrier, square profile, bonded with plastics, extreme loading width, mounting tools with coded keys for easy mounting lock and theft protection</p>	EUR 149,90
VM04317	<p>Clamp lamp brackets Clamplamp holders, stainless steel brushed, for front guard, 63 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 63 mm</p>	EUR 66,52
VM04317/S	<p>Clamp lamp brackets Clamplamp holders, stainless steel black coated, for front guard, 63 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 63 mm</p>	EUR 66,52
VM04318	<p>Clamp lamp brackets 76 mm Clamplamp holders, stainless steel brushed, for front guard, 76 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 76 mm</p>	EUR 66,52
VM04318/S	<p>Clamp lamp brackets 76 mm Clamplamp holders, stainless steel black coated, for front guard, 76 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 76 mm</p>	EUR 66,52
VM04473	<p>Cargo Containment System Original CargoTech system by WeatherTec integrates with either a separately offered Boot Liner, standard surface of your car trunk, or SUV boot area to aid in securing large or unusually shaped items, such as grocery bags, coolers, bottle cases or plants. Molded from two different materials, the Cargo Containment System couples a durable plastic "fence" with a super-grippy underside to ensure your goods remain stable. Not recommended for use on carpets. Sold as a set-of-four with each corner piece measuring: approx. 20 cm x 20 cm x 13 cm. Possibly illustrated cartons or beverage boxes are not included in the delivery.</p>	EUR 35,70
VM04947	<p>Coasters for cup holders Coasters made with enviro-friendly TPE material. Added sidewall protection that cover the bottom and sides of your cup holder that catches and holds spills, condensation, crumbs and other messes. Produced with a unique textured and ribbed pattern that ensures your drink will never get stuck allowing your beverage to perspire, while raising it away from the mess. Molded, specialized finger handles make removal and cleaning a breeze. NOTE: This is a universal and not a vehicle specific product.Diameter about 8 cm, raised edge about 2 cm, set of four coasters. Please check the dimensions of your vehicle before ordering.</p>	EUR 11,90
VM04976	<p>frontbar Frontguard, stainless steel, 63 mm with integrated cross-brace. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view! Shipment of the accessory incl. mounting material and EC type approval. No entry in car documents within the EC necessary. NOTE: Front bar compatible with ACC system, for the parking sensors cover stickers are included in shipment</p>	EUR 351,00

Article No.	Description	Recommended Retail Price
		EUR incl. 19% VAT.
VM04976/S	<p>frontbar Frontguard, stainless steel black powder-coated, 63 mm with integrated cross brace. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view! Shipment of the accessory incl. mounting material and EC type approval. No entry in car documents within the EC necessary.</p>	EUR 351,00
VM04978	<p>side bars side bars, stainless steel polished, oval, with upstep plastic black, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. The inspection / acceptance at a technical inspection center is obligatory and can lead to further costs. NOTE: Side bars for OPEL Combo (length 4.403 mm, wheelbase 2.785 mm)</p>	EUR 483,00
VM04978/S	<p>side bars Side bars, stainless steel black powder-coated, oval, with upstep plastic black, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs. NOTE: Side bars for OPEL Combo (length 4.403 mm, wheelbase 2.785 mm)</p>	EUR 483,00
VM04983	<p>side bars design bars, stainless steel polished, mm, with step plateset in mix of alloy and rubber, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs. NOTE: Side bars for OPEL Combo (length 4.403 mm, wheelbase 2.785 mm)</p>	EUR 506,00
VM04983/S	<p>side bars Design bars, stainless steel black powder-coated, oval, with step plateset in mix of alloy and rubber, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. The inspection / acceptance at a technical inspection center is obligatory and can lead to further costs. NOTE: Side bars for OPEL Combo (length 4.403 mm, wheelbase 2.785 mm)</p>	EUR 506,00
VM04985	<p>side bars Stainless steel polished 63 mm, set consisting of two side skirts, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. NOTE: Side bars for OPEL Combo (length 4.403 mm, wheelbase 2.785 mm)</p>	EUR 307,00
VM04985/S	<p>side bars Stainless steel black powder-coated, 63 mm, set consisting of two side skirts, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. NOTE: Side bars for OPEL Combo (length 4.403 mm, wheelbase 2.785 mm)</p>	EUR 307,00

Article No.	Description	Recommended Retail Price
		EUR incl. 19% VAT.
VM04988	<p>rearbar Stainless steel polished, 63 mm tube diameter, not to use in combination with tow-bar, incl. Component Test Report. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may result in additional expenses.</p>	EUR 269,00
VM04988/S	<p>rearbar Stainless steel black powder-coated, 63 mm tube diameter, not to use in combination with tow-bar, incl. Component Test Report. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may result in additional expenses.</p>	EUR 269,00
VM05195	<p>side bars Stainless steel polished 63 mm, set consisting of two side skirts, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may result in additional expenses. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. NOTE: Side bars for OPEL Combo XL (length 4753 mm, wheelbase 2977 mm)</p>	EUR 335,00
VM05195/S	<p>side bars Stainless steel black powder-coated, 63 mm, set consisting of two side skirts, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may result in additional expenses. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. NOTE: Side bars for OPEL Combo XL (length 4753 mm, wheelbase 2977 mm)</p>	EUR 335,00
VM05196	<p>side bars side bars, stainless steel polished, oval, with upstep plastic black, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. The inspection / acceptance at a technical inspection center is obligatory and can lead to further costs. NOTE: Side bars for OPEL Combo XL (length 4753 mm, wheelbase 2977 mm)</p>	EUR 512,00
VM05196/S	<p>side bars Side bars, stainless steel black powder-coated, oval, with upstep plastic black, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs. NOTE: Side bars for OPEL Combo XL (length 4753 mm, wheelbase 2977 mm)</p>	EUR 512,00
VM05197	<p>side bars design bars, stainless steel polished, mm, with step plateset in mix of alloy and rubber, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs. NOTE: Side bars for OPEL Combo XL (length 4753 mm, wheelbase 2977 mm)</p>	EUR 532,99
VM05197/S	<p>side bars Design bars, stainless steel black powder-coated, oval, with step plateset in mix of alloy and rubber, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. The inspection / acceptance at a technical inspection center is obligatory and can lead to further</p>	EUR 533,00

Article No.	Description	Recommended Retail Price
	costs.	
	NOTE: Side bars for OPEL Combo XL (length 4753 mm, wheelbase 2977 mm)	
VMRBP311/R	Rear Bumper Paint Protector Manufactured in ABS plastic, black, ribbed surface, . C.N.C. trimmed to ensure a perfect fit. Secured in position with 3M self-adhesive tape. Many models pick up on existing bolts or self-tapping screws. Quick and easy to fit. Full diagramatic fitting instructions are supplied NOTE: Bumper protection for OPEL Combo	EUR 75,22
VT00540	wheel arch universal, for front or rear, wide edition 25 - 32 mm width, length approx. 21, 5 cm, set two-piece for left and right, incl. double-sided adhesive tape	EUR 34,90
VT00540/S	wheel arch universal, for front or rear, slim edition 10 - 13 cm width, length approx. 21, 5 cm, set two-piece for left and right, incl. double-sided adhesive tape	EUR 34,90
VT00540/XXL	wheel arch universal for front or rear, wide edition 25 - 32 mm width, length approx. 70 cm, set two-piece for left and right, incl. double-sided adhesive tape	EUR 48,20

All prices in EUR including VAT. Delivery is ex works, excluding shipping costs. Errors, omissions and intermediate sale without notice.

For all goods and services shall apply our currently valid general terms and conditions.

Updated: 27.2.2020

Article No. **Description**

Recommended Retail Price
EUR incl. 19% VAT.