

Article No.	Description	Recommended Retail Price EUR incl. statutory 16% VAT
2175	Holder for breakaway cable Holder for the breakaway cable, used to fasten the breakaway cable while driving with a trailer.	EUR 24,27
A022600	bike carrier Strada DL 2 for two bicycles, mounting on towel bar. Illuminating system integrated, Payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval. Expandable to carry four bykes with item A022610. Accessories for tire widths larger than 2.4 inches: - 300 mm locking tape set up to 3.0 inch tire width (4 pieces, item A022730). - 350 mm locking tape set up to 4.0 inch tire width (4 pieces, with steel insert, item A022735). Detachable locking straps on all current Strada models (Standard equipment with 250 mm locking band length for tire widths up to 2.4 inches). Transport of up to 2 light e-bikes up to a maximum of 23.5 kg per bike rail (please note the permissible total load of 47 kg for model DL 2) NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars! Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar. More details of the rear bike carrier Strada DL2:	EUR 427,36
A022601	bike carrier Strada DL 3 for three bicycles, mounting on towel bar. Illuminating system integrated, maximum payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval. Expandable to carry four bikes with item A022611 (therefor separate anchoring necessary). Accessories for tire widths larger than 2.4 inches: - 300 mm locking tape set up to 3.0 inch tire width (4 pieces, item A022730). - 350 mm locking tape set up to 4.0 inch tire width (4 pieces, with steel insert, item A022735). Detachable locking straps on all current Strada models (Standard equipment with 250 mm locking band length for tire widths up to 2.4 inches). Transport of up to 2 light e-bikes up to a maximum of 23.5 kg per bike rail (please note the permissible total load of 45 kg for model DL 3) NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars! Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar. Details of the rear bike carrier Strada DL3:	EUR 528,95
A022610	add-on set rack for 3rd bike with spacer, for rear bike carrier Strada Sport M 2 and Strada DL 2. Maximum payload 45 kg*. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.	EUR 90,48
A022611	add-on set for 4th bicycle, for bicycle-carrier Strada DL.3. Maximum payload 63 kg*. Only allowed when fourth bicycle is anchored separately! * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.	EUR 154,28
A022624	add-on set rack for 4th bike with spacer, for bicycle-carrier Strada Sport M 3, maximum payload 68 kg*. * Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.	EUR 90,48
A022635	Drive-up rail Rear bike carrier Loading aid for Strada Sport, Stada E-Bike M / ML and Strada DL bicycle tow bar carriers, Matt anodized aluminium / PPT	EUR 41,76
A022684	bike carrier Strada Sport M 2 for two bicycles, mounting on towel bar. Illuminating system integrated, maximum payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval. Expandable to carry four bykes with item A022610. NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars! Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch	EUR 363,29

Article No.	Description	Recommended Retail Price EUR incl. statutory 16% VAT
A022685	<p>used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p> <p>Details of rear bike carrier Strada Sport M3:</p> <p>bike carrier Strada Sport M 3</p> <p>for three bicycles, mounting on towel bar. Illuminatiing system integrated, Payload 60 kg*, for border diameter from 25 to 80 mm. EU type approval.Expandable to carry four bikes with item A022624.</p> <p>NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars!</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p> <p>Details of rear bike carrier Strada Sport M3:</p>	EUR 380,17
A022686	<p>bike carrier Strada eBike M</p> <p>Foldable carrier for two e-bikes, mounting on tow-bar, lighting system with light protection, extra long gaps from bike to bike, maximum payload 60 kg*, frame diameters from 25 to 80 mm, tyre width 18 - 29 inches, weight 14 kg, dimensions in mm 1.000 x 590 x 200 (folded frame), EC operating permit.</p> <p>NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars!</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p>	EUR 398,69
A022696	<p>Bike carrier Strada eBike ML</p> <p>Foldable carrier for two e-bikes, mounting on tow-bar, lighting system with light protection, extra long gaps from bike to bike, maximum payload 60 kg*, frame diameters from 25 to 80 mm, tyre width 18 - 29 inches, weight 15, 5 kg, dimensions in mm 1.200 x 590 x 200 (folded frame), EC operating permit.</p> <p>NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars!</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p>	EUR 419,15
A022750	<p>bike carrier Strada Vario 2</p> <p>ultimativ fold carrier for two bikes or e-bikes, mounting on towel bar. Illuminatiing system integrated, maximum payload 60 kg*, for border diameter from 25 to 80 mm, tyre dimension 18-29 inches, weight 16, 9 kg, dimensions in mm 1.140 x 600 x 740, stow dimension in mm 635 x 395 x 630, EU type approval**</p> <p>NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars!</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p> <p>** Vertical load of the tow bar when loaded with two bikes must be at least 50 kg.</p> <p>Details of rear bike carrier Strada Vario2:</p>	EUR 535,15
A022751	<p>bike carrier Strada Vario 3</p> <p>ultimativ fold carrier for two bikes or e-bikes, mounting on towel bar. Illuminatiing system integrated, Payload 66 kg, for border diameter from 25 to 80 mm, tyre dimension 18-29 inches, weight 19, 9 kg, dimensions in mm 1.140 x 730 x 690, stow dimension in mm 635 x 470 x 730, EC type approval</p> <p>NOTE: The rear carriers are only to be used in combination with steel towbars. Not to be used for aluminum towbars!</p> <p>Please note: Rear bike carriers are universal items. Depending on the type of vehicle and the towing hitch used, there may be restrictions, for example when opening the tailgate or in the functionality of parking</p>	EUR 632,64

Article No.	Description	Recommended Retail Price EUR incl. statutory 16% VAT
	<p>systems (PDC). In case of rear attachments such as p.e. running boards or lifts the installation can be excluded. In case of doubt, please contact us.</p> <p>* Maximum vehicle payload: Please note the information of the vehicles maker concerning the allowed maximum vehicle payload of the tow-bar.</p> <p>**Vertical load of the tow bar when loaded with three bikes must be at least 60 kg.</p> <p>Details of rear bike carrier Strada Vario3:</p>	
A082227	<p>Bike carrier Giro AF+</p> <p>for roof bar, matt anodized aluminium, bikes from 20 to 29 wheel size, for all regular tyre sizes, including 3.0" wide Plus-Tyres, automatic holding function, theft protection for bike and carrier, holds round frames from 22 to 80 mm and oval frams up to 100 x 80 mm, for steel cross bars, 32 x 22 mm, maximum bike weight 17 kg. City Crash certified. Not suitable for e-Bikes. Roof bar as well as bike are not included in scope of delivery.</p>	EUR 116,00
A082291	<p>Roof box CASAR M Lava Structured</p> <p>Attractive roof box in lava-structured, material: ABS / ASA, lid opening on right side, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, Master Fit fast-mounting, central locking. Dimensions L / W / H 177 x 77 x 42 cm, volume 380 L, empty weight 14.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is aa universal item and not a vehicle specific product.</p>	EUR 359,69
A082292	<p>Roof box CASAR L Brilliant Black</p> <p>Attractive roof box in Brilliant Black, material: ABS / PMMA, lid opening on both sides, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 191 x 81 x 42 cm, volume 420 L, empty weight 17.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty.</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p> <p>- Symbolic illustration</p>	EUR 486,42
A082293	<p>Roof box CASAR L Lava Structured</p> <p>Attractive roof box in Lava Structured, material: ABS / ASA, lid opening on both sides, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 191 x 81 x 42 cm, volume 420 L, empty weight 17.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p> <p>- Symbolic illustration</p>	EUR 457,18
A082294	<p>Roof box CASAR XL Brilliant Black</p> <p>Attractive roof box in Brilliant Black, material: ABS / PMMA, lid opening on both sides, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 215 x 90 x 43 cm, volume 540 L, empty weight 20.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty.</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p>	EUR 559,69
A082295	<p>Roof box CASAR XL Lava Structured</p> <p>Attractive roof box in Lava Structured, material: ABS / ASA, lid opening on both sides, optimized values for aerodynamics, Open + Close Assist - lifting / lowering mechanism. Central locking system, basic carrier Premium quick-release. Dimensions L / W / H 215 x 90 x 43 cm, volume 540 L, empty weight 20.5 kg, max. Payload 75 kg. Please note the maximum permitted roof load of the vehicle. City Crash certified, 5-year manufacturer's warranty.</p> <p>The roof box should only be used in combination with the associated roof girders. Roof trusses are not included, please order separately. This roof box is a universal item and not a vehicle specific product.</p>	EUR 478,13
A082704	<p>ski carrier NOVA 4</p> <p>Ski and snowboard carrier attachment, set for 4 pairs of skis or 1 snowboard and 1 pair of skis, lockable dirt catch protects against dust and dirt.</p> <p>Total width approx. 570 mm, loading area approx. 400 mm, depth of rubber pad approx. 60 mm. Some bindings on boards or skis require greater distances to the vehicle roof. In the Nova basic equipment, the adapters are included.</p> <p>This carrier attachment is suitable for square support tube 32 x 22 mm or aluminum profiles and is not to be used with the original railing of the vehicle manufacturer.</p>	EUR 135,50

Article No.	Description	Recommended Retail Price EUR incl. statutory 16% VAT
A082706	<p>ski carrier NOVA 6 Ski and snowboard carrier attachment, set for 6 pairs of skis or 2 snowboard and 1 pair of skis, lockable dirt catch protects against dust and dirt. Total width approx. 780 mm, loading area approx. 610 mm, depth of rubber pad approx. 60 mm. Some bindings on boards or skis require greater distances to the vehicle roof. In the Nova basic equipment, the adapters are included. This carrier attachment is suitable for square support tube 32 x 22 mm or aluminum profiles and is not to be used with the original railing of the vehicle manufacturer.</p>	EUR 164,73
A089048	<p>surf kit for roof bar Rubber bonded, powder-coated, steel, simple mounting, set for transport of one surfboard consisting of four metall brackets, two straps each 2, 50 m and two mast holders, roof luggage rack not included in delivery. This extension is not to use in combination with the original rail racks of the car manufacturer. Mounting only on square bars 32 x 32 mm.</p>	EUR 116,00
AN02472	<p>Clamp lamp brackets 42 mm clamplamp holders, stainless steel, for front guard, 42 mm tube, set consisting of two holders. ADVICE: Only to use for tube diameter of 42 mm</p>	EUR 25,52
AN02472/S	<p>Clamp lamp brackets 42 mm clamplamp holders, stainless steel, black dull powder-coated, for front guard, 42 mm tube, set consisting of two holders. ADVICE: Only to use for tube diameter of 42 mm</p>	EUR 25,52
AN02473	<p>Clamp lamp brackets 51 mm Clamplamp holders, stainless steel, for front guard, 51 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 51 mm</p>	EUR 29,00
AN02473/S	<p>Clamp lamp brackets 51 mm Clamplamp holders, stainless steel, black dull powder-coated, for front guard, 51 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 51 mm</p>	EUR 29,00
AN02474	<p>Clamp lamp brackets 60 mm Clamplamp holders, stainless steel, for front guard, 60 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 60 mm</p>	EUR 30,16
AN02474/S	<p>Clamp lamp brackets 60 mm Clamplamp holders, stainless steel, black dull powder-coated, for front guard, 60 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 60 mm</p>	EUR 30,16
AN02475	<p>Clamp lamp brackets 70 mm Clamplamp holders, stainless steel, for front guard, 70 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 70 mm</p>	EUR 33,64
AN02475/S	<p>Clamp lamp brackets 70 mm Clamplamp holders, stainless steel, black dull powder-coated, for front guard, 70 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 70 mm</p>	EUR 33,64
AN02476	<p>Clamp lamp brackets 76 mm Clamplamp holders, stainless steel, for front guard, 76 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 76 mm</p>	EUR 35,96
AN02476/S	<p>Clamp lamp brackets 76 mm Clamplamp holders, stainless steel, black dull powder-coated, for front guard, 76 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 76 mm</p>	EUR 35,96
AN05315	<p>spoiler protection pipe EC front spoiler tube, stainless steel, 60 mm, incl. Component Test Report, incl. EC type approval, no entry in car documents within the EC necessary. NOTE: Can also be installed with ACC, FCM and Parktronic. Not for PanAmericana 4 Motion!</p>	EUR 388,94
AN05316	<p>frontbar Frontguard, stainless steel polished, 60 mm with integrated cross tube 42 mm. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view! Shipment incl. mounting material and EC type approval. No entry in car documents within the EC necessary. NOTE: Can also be assembled with ACC and FCM. Not for PanAmericana 4 Motion!</p>	EUR 369,45
AN05316/S	<p>frontbar Frontguard, stainless steel black plastic coated 60 mm with integrated cross tube 42 mm. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view!</p>	EUR 369,45

Article No.	Description	Recommended Retail Price EUR incl. statutory 16% VAT
AN05336	<p>Shipment incl. mounting material and EC type approval. No entry in car documents within the EC necessary. Product note: Low edition NOTE: Can also be assembled with ACC and FCM. Not for PanAmericana 4 Motion!</p> <p>side bars stainless steel polished, with non-slip rubber dots on step area, 90 x 45 mm oval, set consisting of 2 tubes, incl. Component Test Report.</p>	EUR 574,15
AN05337	<p>The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs. NOTE: Side bars for vehicles with a wheelbase of 3,000 mm. Not for platform trucks and PanAmericana 4 Motion</p> <p>side bars stainless steel polished, with non-slip rubber dots on step area, 90 x 45 mm oval, set consisting of 2 tubes, incl. Component Test Report.</p>	EUR 652,13
AN05338	<p>The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs. NOTE: Side bars for vehicles with a wheelbase of 3,400 mm. Not for platform trucks and PanAmericana 4 Motion</p> <p>rear protection bar Polished stainless steel, 60 mm, can also be used in conjunction with parking sensors. Not in conjunction with a towbar or towbar preparation, including parts certificate. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses. NOTE: Rear protection tube cannot be mounted on the platform truck</p>	EUR 297,31
AN05338/S	<p>rear protection bar Stainless steel black, 60 mm, can also be used in conjunction with parking sensors. Not in conjunction with a towbar or towbar preparation, including parts certificate. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses. - One-off production, no return NOTE: Rear protection tube cannot be mounted on the platform truck</p>	EUR 297,31
AN05351	<p>frontbar Frontguard, stainless steel polished, 60 mm. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view! Shipment incl. mounting material and EC type approval. No entry in car documents within the EC necessary. NOTE: Can also be assembled with ACC and FCM. Not for PanAmericana 4 Motion!</p>	EUR 359,69
CB05200	<p>Multi mat Loading sill protection and boot mat, Velcro snaps for attachment to the carpet. Dimension approx. 80 x 60 cm. This mat is a universal item and not a vehicle specific product.</p>	EUR 29,23
CRLH060/S	<p>Clamp lamp brackets 60 mm Stainless steel black coated, for front guard with 60 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 60 mm</p>	EUR 40,94
IP00645	<p>Park distance control system front or tail Parking system for front or rear with 4 radio-controlled sensors and multifunction display. Individual programming conveniently from the driver's seat. It is not necessary to lay cables inside the vehicle. The sensors can be painted, assembly is easy. This article is not expandable, even the version with eight sensors!</p>	EUR 252,47
IP00645FH	<p>Park distance control system front and tail Parking system for front or rear with 8 radio-controlled sensors and multifunction display. Individual programming conveniently from the driver's seat. It is not necessary to lay cables inside the vehicle. The sensors can be painted, assembly is easy.</p>	EUR 428,81
KL02660	<p>dog ramp Dog ladder, innovative ramp loader, tripple telescopic, high grade mix of alloy and plastic. "SuperGrip" on running surface for safe step. The ramp is infinitely adjustable. Angled surface area with foamed cushion. Inkl. fixation belt for stowage if not in use. Makes it easier to get in and off nearly every car. Load capacity up to 85 kg when shared by 4 pads, steplessly variable from 73 to 163 cm, width 41 cm, stow dimension (W x L x H in</p>	EUR 165,61

Article No.	Description	Recommended Retail Price
		EUR incl. statutory 16% VAT
KL04285	<p>cm) approx. 41 x 73 x 12, weight approx. 5, 5 kg.</p> <p>Dog Ramp XL Dog ladder in XL, innovative ramp loader, tripple telescopic, high grade mix of alloy and plastic. "SuperGrip" on running surface for safe step. The ramp is infinitely adjustable. Angled surface area with foamed cushion. Inkl. fixation belt for stowage if not in use. Makes it easier to get in and off nearly every car. Load capacity up to 85 kg when shared by 4 pads, steplessly variable from 83 to 183 cm, width 41 cm, stow dimension (W x L x H in cm) approx. 41 x 83 x 12, weight approx. 7, 6 kg.</p>	EUR 194,86
KL04846	<p>Carlok Deluxe Anti-theft device made of hardened steel with square safety key in the color silver. Please note: This anti-theft device / steering wheel claw is not suitable for vehicles with a steering wheel thickness of more than 34 mm. Not suitable for VW T5 / T6 and minibuses.</p>	EUR 53,56
NL00242	<p>seat heater Seat heating, universal for back and seat areas, inclusive electrical kit and round switches with two stages. Due to carbon technic easy to fit to the surfaces. NOTE: Only for cars without glued seat surfaces!</p>	EUR 96,50
PE01807	<p>bumper strips plastics PUR, edition rounded-rounded, for front and rear. Mounting via adhesive, dimensions L/W/H in mm: 355/49/11. Included in delivery: strip set consisting of 2 pieces with double-faced adhesive tape and mounting instruction. Universal item, not vehicle specific!</p>	EUR 19,40
TH05051	<p>Bike carrier Proride 598 Aluminum, for mounting on roof rails with aluminum rail or cambered profile, for bicycle frames up to 100 mm (oval 80 x 100 mm, round 22 - 80 mm), for bicycles up to 20 kg, lockable, installation from both sides possible. Wheel quick release, the bike carrier is pre-assembled, no tools required, meets the requirements of the City Crash standard.</p>	EUR 116,00
TH05052	<p>bike carrierr FreeRide 532 for mounting on top of roof carriers with alloy or square profiles, for bicycle frames up to 80 mm (oval 65 x 80 mm, round 22 - 70 mm), lockable, quick clamp, the bicycle carrier is pre-assembled, no tools necessary, in accordance with the city crash rules</p>	EUR 67,26
TH05056	<p>sailboard carrier 533 for one (wind-) surfboard and two masts, to mount on square roof carrier crossbars, inc. cushion for the bearing surface, incl. two tension belts each 275 cm</p>	EUR 84,81
VM01541E	<p>parking sensor for reverse including four sensors each 18 mmm, LED balk display and accoustic signal</p>	EUR 116,00
VM01542E	<p>parking sensor for front with four sensors each 18 mm, LED bar display, acustic signal and additional cutout switch</p>	EUR 116,00
VM03571	<p>Park distance control system front or tail with four ultrasonic sensors, applicable for front or rear, adjustable sensitivy of sensors, acoustic signal, shipment includes control unit, buzzer and wiring. For for vehicles with 12V DC only</p>	EUR 86,76
VM03973	<p>Roof Rails High quality high-gloss polished alloy, end piece in coated cast alloy (no plastic!), perfect fitting, roof load max. 100 kg (please observe the roof load of the vehicle), simple installation, no drill necessary, mounting at the existing fixation points of the vehicle, set for left and right, incl. installation material, Component Test Report / German General Operating License (ABE), no entry in car documents necessary NOTE: Roof Rails for VW T6 with short wheel base. For Caravelle please add a short info, as different screws will be shipped</p>	EUR 192,03
VM03974	<p>Roof Rails High quality black powder-coated alloy, end pieces in coated cast alloy (not plastic!), accurately fitting, roof load max. 100 kg (please observe the roof load of the vehicle), simple installation, no drill necessary, mounting at the existing fixation points of the vehicle, set for left and right, incl. installation material, Component Test Report / German General Operating License (ABE), no entry in car documents necessary NOTE: Roof Rails for VW T6 with short wheel base. For Caravelle please add a short info, as different screws will be shipped</p>	EUR 192,03
VM03975	<p>Roof Rails High quality high-gloss polished alloy, end piece in coated cast alloy (no plastic!), perfect fitting, roof load max. 100 kg (please observe the roof load of the vehicle), simple installation, no drill necessary, mounting at the existing fixation points of the vehicle, set for left and right, incl. installation material, Component Test Report / German General Operating License (ABE), no entry in car documents necessary NOTE: Roof rails for VW T6.1 with long wheelbase, please brief info at Caravelle, as other screws are included</p>	EUR 211,53
VM03976	<p>Roof Rails High quality black powder-coated alloy, end pieces in coated cast alloy (not plastic!), accurately fitting, roof load max. 100 kg (please observe the roof load of the vehicle), simple installation, no drill necessary, mounting at the existing fixation points of the vehicle, set for left and right, incl. installation material, Component Test Report / German General Operating License (ABE), no entry in car documents necessary</p>	EUR 211,53

Article No.	Description	Recommended Retail Price EUR incl. statutory 16% VAT
VM04317	<p>NOTE: Roof rails for VW T6.1 with long wheelbase, please brief info at Caravelle, as other screws are included</p> <p>Clamp lamp brackets Clamplamp holders, stainless steel brushed, for front guard, 63 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 63 mm</p>	EUR 64,84
VM04317/S	<p>Clamp lamp brackets Clamplamp holders, stainless steel black coated, for front guard, 63 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 63 mm</p>	EUR 64,84
VM04318	<p>Clamp lamp brackets 76 mm Clamplamp holders, stainless steel brushed, for front guard, 76 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 76 mm</p>	EUR 64,84
VM04318/S	<p>Clamp lamp brackets 76 mm Clamplamp holders, stainless steel black coated, for front guard, 76 mm tube, set consisting of two brackets. ADVICE: Only to use for tube diameter of 76 mm</p>	EUR 64,84
VM05236	<p>wheelhouse rails ABS plastics, black, CNC milled for perfect fit, set 10 pieces for all 4 wheelhouses. Material thickness 2 mm, height approx. 70 mm, incl. double sided adhesive tape and glew Betalink K1 for mounting. NOTE: Wheel arch covers for VOLKSWAGEN T6.1 with short wheelbase and sliding door on the right side. Not for VW T6.1 PanAmericana</p>	EUR 229,68
VM05237	<p>wheelhouse rails ABS plastics, black, CNC milled for perfect fit, set 10 pieces for all 4 wheelhouses. Material thickness 2 mm, height approx. 70 mm, incl. double sided adhesive tape and glew Betalink K1 for mounting. NOTE: Wheel arch covers for VOLKSWAGEN T6.1 with short wheelbase and sliding door on the right and left side. Not for VW T6.1 PanAmericana</p>	EUR 229,68
VM05238	<p>wheelhouse rails ABS plastics, black, CNC milled for perfect fit, set 10 pieces for all 4 wheelhouses. Material thickness 2 mm, height approx. 70 mm, incl. double sided adhesive tape and glew Betalink K1 for mounting. NOTE: Wheel arch covers for VOLKSWAGEN T6.1 with long wheelbase, fits all variants but not for VW T6.1 PanAmericana</p>	EUR 229,68
VM05304	<p>frontbar Frontguard, stainless steel, 63 mm with integrated cross-brace. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view! Shipment of the accessory incl. mounting material, mounting instruction and EC type approval. No entry in car documents within the EC necessary. NOTE: Front bar for VW T6.1 compatible with ACC system. Covers for the front parking sensors will be included in the delivery</p>	EUR 342,15
VM05304/S	<p>frontbar Frontguard, stainless steel black powder-coated, 63 mm with integrated cross brace. Please note: At vehicles with park assistance system the two inner sensors are deactivated by the self-adhesive covers. The outer sensors will still be functional. Covers are enclosed in shipment for free. On vehicles with front camera the upper tube of the bar is in the visible area of the field of view! Shipment of the accessory incl. mounting material and EC type approval. No entry in car documents within the EC necessary. NOTE: Front bar black for VW T6.1 compatible with ACC system. Covers for front parking sensors will be included in the delivery</p>	EUR 342,15
VM05305	<p>side bars Stainless steel polished 76 mm, set consisting of two side skirts, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs. NOTE: Side bars with four steps for VW T6.1 with short wheelbase (SWB)</p>	EUR 437,68
VM05305/S	<p>side bars Stainless steel black powder-coated 76 mm, set consisting of two side skirts with black treads, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs. NOTE: Side bars black with four steps for VW T6.1 with short wheelbase (SWB)</p>	EUR 437,68

Article No.	Description	Recommended Retail Price EUR incl. statutory 16% VAT
VM05306	<p>side bars design bars, stainless steel polished, mm, with step plateset in mix of alloy and rubber, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs. NOTE: Design side bars for VW T6.1 with short wheelbase (SWB)</p>	EUR 493,24
VM05306/S	<p>side bars Design bars, stainless steel black powder-coated, oval, with step plateset in mix of alloy and rubber, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. The inspection / acceptance at a technical inspection center is obligatory and can lead to further costs. NOTE: Design side bars black for VW T6.1 with short wheelbase (SWB)</p>	EUR 493,24
VM05307	<p>side bars side bars, stainless steel polished, oval, with upstep plastic black, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. The inspection / acceptance at a technical inspection center is obligatory and can lead to further costs. NOTE: Oval side bars with four steps for VW T6.1 with short wheelbase (SWB)</p>	EUR 470,82
VM05307/S	<p>side bars Side bars, stainless steel black powder-coated, oval, with upstep plastic black, set consisting of two pipes, incl. Component Test Report. The installation of sill pipes and running boards takes place at the existing points of the vehicle. Depending on the vehicle manufacturer, model and version, measures may be required on the vehicle. These include small cutouts on plastic parts in non-visible areas as well as holes. A vehicle-specific assembly instructions and mounting material are included. The limitations and installation instructions listed in the report are to be observed. Mounting approval through an inspection authority is obligatory and can result in additional costs. NOTE: Oval side bars black with four steps for VW T6.1 with short wheelbase (SWB)</p>	EUR 470,82
VM05308	<p>side bars Stainless steel polished 63 mm, set consisting of two side skirts, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. NOTE: Side bars for VW T6.1 with short wheelbase (SWB)</p>	EUR 299,26
VM05308/S	<p>side bars Stainless steel black powder-coated, 63 mm, set consisting of two side skirts, incl. Component Test Report. Mounting on existing fixation points of the car. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. NOTE: Side bars black for VW T6.1 with short wheelbase (SWB)</p>	EUR 299,26
VM05309	<p>rearbar Stainless steel polished, 63 mm tube diameter, not to use in combination with tow-bar, incl. Component Test Report. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may may result in additional expenses. NOTE Rear guard for VW T6.1</p>	EUR 262,22

Article No.	Description	Recommended Retail Price
		EUR incl. statutory 16% VAT
VM05309/S	<p>rearbar Stainless steel black powder-coated, 63 mm tube diameter, not to use in combination with tow-bar, incl. Component Test Report. Vehicle specific mounting instruction as well as mounting material are included in scope of delivery. Limitations and mounting instructions from the technical certificate must be followed exactly. Mounting approval through inspection authority is obligatory and may result in additional expenses. NOTE Rear guard for VW T6.1</p>	EUR 262,22
VMRBP850	<p>Rear Bumper Paint Protector Manufactured in ABS plastic, black, C.N.C. trimmed to ensure a perfect fit. Secured in position with 3M self-adhesive tape. Many models pick up on existing bolts or self-tapping screws. Quick and easy to fit. Full diagramatic fitting instructions are supplied NOTE: Loading edge protection for VW T6.1 Multivan, Caravelle and Transporter with single rear door / tailgate</p>	EUR 74,96
VMRBP851/R	<p>Rear Bumper Paint Protector Manufactured in ABS plastic, black, ribbed surface, . C.N.C. trimmed to ensure a perfect fit. Secured in position with 3M self-adhesive tape. Many models pick up on existing bolts or self-tapping screws. Quick and easy to fit. Full diagramatic fitting instructions are supplied NOTE: Loading edge protection for VW T6.1 Multivan, Caravelle and Transporter with single rear door / tailgate</p>	EUR 74,96
VMRBP874	<p>Rear Bumper Paint Protector Manufactured in ABS plastic, black, C.N.C. trimmed to ensure a perfect fit. Secured in position with 3M self-adhesive tape. Many models pick up on existing bolts or self-tapping screws. Quick and easy to fit. Full diagramatic fitting instructions are supplied NOTE: Loading sill protection for VW T6 Caravelle and Transporter with two rear doors</p>	EUR 74,96
VMRBP875/R	<p>Rear Bumper Paint Protector Manufactured in ABS plastic, black, ribbed surface, . C.N.C. trimmed to ensure a perfect fit. Secured in position with 3M self-adhesive tape. Many models pick up on existing bolts or self-tapping screws. Quick and easy to fit. Full diagramatic fitting instructions are supplied NOTE: Loading sill protection for VW T6 Caravelle and Transporter with two rear doors</p>	EUR 74,96
VT00540	<p>wheel arch universal, for front or rear, wide edition 25 - 32 mm width, length approx. 21, 5 cm, set two-piece for left and right, incl. double-sided adhesive tape</p>	EUR 34,02
VT00540/S	<p>wheel arch universal, for front or rear, slim edition 10 - 13 cm width, length approx. 21, 5 cm, set two-piece for left and right, incl. double-sided adhesive tape</p>	EUR 34,02
VT00540/XXL	<p>wheel arch universal for front or rear, wide edition 25 - 32 mm width, length approx. 70 cm, set two-piece for left and right, incl. double-sided adhesive tape</p>	EUR 46,98

All prices in EUR including VAT. Delivery is ex works, excluding shipping costs. Errors, omissions and intermediate sale without notice.

For all goods and services shall apply our currently valid general terms and conditions.

Updated: 25.9.2020

Article No. **Description**

Recommended Retail Price
EUR incl. statutory 16% VAT